

## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



5176-1  
A1745



United States  
Department of  
Agriculture

Animal and  
Plant Health  
Inspection  
Service

Veterinary  
Services

APHIS 91-44  
May 1980

245

# 1979 Report of Random Sample Egg Production Tests in the United States and Canada.

Performance of Stocks 1978-79 . 4

PRODUCTION SECTION  
CURRENT SERIAL RECORDS

JUN 11 1980

U.S.D.A.  
NATIONAL AGRIC LIBRARY  
RECEIVED

## PREFACE

Egg production tests are designed to provide poultrymen, hatcherymen, and breeders with a reliable guide to the performance of poultry stocks offered for sale. This publication contains information on many egg production traits that are of economic importance to the trade. The data were compiled from the records of official Random Sample Egg Production Tests conducted in the United States and Canada.

The publication of this report is based on recommendations of the National Committee on Random Sample Poultry Testing and the Council of American Official Poultry Tests. The information was compiled by the Poultry Improvement Staff, Animal and Plant Health Inspection Service-Veterinary Services of the U.S. Department of Agriculture from data furnished by Test supervisors.

The publication of this report does not imply approval or endorsement by the U.S. Department of Agriculture of any of the stocks mentioned.

## CONTENTS

|   | Page |
|---|------|
| Twentieth New Hampshire Multiple Unit Egg Production Test, 1978-79----- | 2    |
| Twentieth North Carolina Random Sample Laying Test, 1978-79-----        | 10   |
| The 24th Central Canada Egg Production Test, 1978-79-----               | 25   |
| First Central Canada Brown Egg Test, 1978-79-----                       | 35   |

## 1979 REPORT OF RANDOM SAMPLE EGG PRODUCTION TESTS, UNITED STATES AND CANADA

This 1979 Report of Random Sample Egg Production Tests differs from those reports published by the United States Department of Agriculture in past years in that no attempt was made to treat the data by approved statistical methods. The data reported in the various tables in this publication are exactly the same as published by the individual test management. In the past, the USDA analyzed data obtained from the previous two years of testing, combining them by stocks and across tests. The data reported, herein are just for the single years production performance.

The USDA first became involved in analyzing data from the random sample egg production tests in 1958 on the recommendation of the National Committee on Random Sample Poultry Testing and the Council of Official American Poultry Tests. The first four summaries starting with the 1958-59 test data, were made from each single year's data. Starting with the 1963-64 test year the summary consisted of the combined data for the preceding two years. This type of summary continued until this, the 1979 report. During that time, 22 separate State and Canadian Providence tests were involved in this testing work.

This will be the final report in this series in which the USDA has been involved. The following tests are operating for the 1979-80 test year and a report of their results can be obtained by writing directly to each test:

### Central Canada Egg Production Test

A. H. Bentley, Poultry Production Section, Canada Department of Agriculture,  
Ottawa, Ontario, Canada  
Phone 613/994-9571

### Central Canada Brown Egg Test

A. H. Bentley, Poultry Production Section, Canada Department of Agriculture,  
Ottawa, Ontario, Canada  
Phone 613/994-9571

### Florida Poultry Evaluation Center

R. B. Christmas, Chipley, Fla. 32428  
Phone 904/638-0588

### New Hampshire Multiple Unit Egg Production Test

W. C. Skoglund, Department of Animal Science, University of New Hampshire,  
Durham, N. H. 03824  
Phone 603/862-2130

### North Carolina Random Sample Laying Test, Salisbury

G. A. Martin, Poultry Extension Department, North Carolina State University,  
Raleigh, N. C. 27607  
Phone 919/755-2621

## FINAL REPORT

### Twentieth New Hampshire Multiple Unit Egg Production Test 1978-79

Sponsored by the Department of Animal Sciences  
University of New Hampshire, Durham, N.H.  
W. C. Skoglund - Test Supervisor  
Michael Horvath - Research Farm Superintendent  
A. M. Gearwar - Test Foreman

This is the final and complete report of the Twentieth New Hampshire Unit Egg Production Test. Twenty nine breeders were entered in the Cage Test with 8 replicates of 24 birds each.

Hatching eggs from each breeder's supply flocks or home farm were selected at random by a selecting agent and sent to a commercial hatchery for hatching. The resulting chicks were sexed and the pullets toe-marked and delivered to the University of New Hampshire Poultry Farm on May 10, 1978. Records were kept of brooder house mortality. At housing time, housing weights were obtained and the birds selected at random and assigned to the various replicates. Feed consumption during the growing period was based on actual records. Feed consumed by birds that died during the period was charged against the entry.

During the laying year, egg production, egg weights, egg quality, mortality and feed consumption records were obtained. Final rankings were based on net income per pullet housed over total feed and chick costs. The New Hampshire Department of Agriculture Market Bulletin egg prices by color and size and fowl prices by size were used to determine egg and meat income. Feed prices were obtained from weekly price sheet of a New England feed company.

Entries listed as Experimental should not be considered in the final placings.

## Glossary of Terms Used in Report

Chick Cost - The price the entrant quotes in his catalog for chicks of this grade obtained at the time the test began in lots of 1000 or more pullet chicks. An average of all the chick costs is used for every entry.

Days of Age to 50% Production - Number of Days of Age of the Entry when on three successive days 50% or more of the birds laid.

Percent Jumbo, Large & Extra Large Eggs - Actual percentage distribution into the various grades when two days' eggs are graded with a commercial egg grader each month. Minimum weights by grades are: Jumbo, 29 1/2; Extra large, 26 1/2; Large, 23 1/2; Medium, 20 1/2; and Pullet, 18.

Feed Costs - The weekly price sheet of a New England based feed company were used.

Feed Efficiency - Pounds of feed required to produce a dozen actual eggs, and also a dozen weighing 24 ounces, and finally per pound of eggs.

Hen Day Eggs Per Bird - Total number of eggs laid for the month by an entry and divided by the average number of birds in the entry during the month.

Income - Income from sales of eggs and meat. Egg prices are average of each week's quotations in the New Hampshire Department of Agriculture Market Bulletin. Fowl prices are based on USDA price for Boston Market at time of disposal.

Interior Quality - Based on average Haugh Units at end of 6 and 11 months production.

Meat Spots - Colored spots other than bright red.

Rearing Feed Cost - Same as Feed Costs above.

Specific Gravity - A measure of shell condition which involved testing whether an egg floats in various concentrations of salt solutions. There is very high correlation between the specific gravity of an egg and its shell strength.

Blood Spots - Large - Bright red spots 1/8" or larger in size.

Blood Spots - Small - Bright red spots less than 1/8" in size.



# Twentieth New Hampshire Egg Production Test 1978-79

## Summary

|                       | Stock<br>Entered | Income Over<br>Chick & Feed<br>Cost Per Hen<br>Housed | Egg Prod.<br>Per Hen<br>Housed | % Prod.<br>Hen Day<br>Basis<br>From 50% | %<br>Laying<br>House<br>Mortality | Lbs. Feed<br>Per Doz.<br>24 oz.<br>Eggs | % Jumbo<br>Ex. Lg.<br>& Lg.<br>Eggs | Body Wt.<br>500 Days<br>of Age |
|-----------------------|------------------|---|--------------------------------|---|-----------------------------------|---|-------------------------------------|--------------------------------|
| 1 DeKalb Warren       | DeKalb XL LkWL   | 8.34  | 258.6                          | 79.8                                    | 9.9                               | 3.74                                    | 76.1                                | 4.54                           |
| 1 Hubbard Farms       | Comet            | 8.44  | 254.9                          | 76.2                                    | 5.7                               | 3.87                                    | 84.5                                | 5.02                           |
| 1 Hubbard Farms       | White Leghorn    | 8.36  | 260.2                          | 81.1                                    | 10.9                              | 3.77                                    | 74.0                                | 4.50                           |
| 1 Pilch               | Euribrid W.L.    | 8.41  | 265.9                          | 79.8                                    | 9.4                               | 3.75                                    | 57.2                                | 4.17                           |
| 1 Shaver Pltry. Breed | Starcross 288WL  | 8.74  | 260.5                          | 78.3                                    | 8.3                               | 3.62                                    | 82.0                                | 4.60                           |
| 2 Babcock Poul. Farm  | B380 Brown       | 8.15  | 258.5                          | 77.9                                    | 5.7                               | 4.16                                    | 84.0                                | 5.25                           |
| 2 DeKalb Warren       | Amber Link       | 7.77  | 246.8                          | 76.9                                    | 8.9                               | 4.14                                    | 83.7                                | 5.90                           |
| 2 DeKalb Warren       | SexSal Link"G"   | 7.82  | 237.9                          | 74.1                                    | 7.8                               | 3.97                                    | 92.2                                | 5.65                           |
| 2 Harmen Pedigree     | Golden Link      | 8.31  | 253.1                          | 76.5                                    | 2.1                               | 3.82                                    | 77.9                                | 4.86                           |
| 2 Shaver Pltry Breed  | 579 RIR          | 7.60  | 236.1                          | 71.6                                    | 4.2                               | 4.05                                    | 89.4                                | 5.72                           |
| 3 Babcock Poul. Farm  | B300V W.Leg      | 7.46  | 238.0                          | 75.8                                    | 15.6                              | 3.80                                    | 69.5                                | 4.22                           |
| 3 Carey Farms         | Nick 310 W.L.    | 7.21  | 243.6                          | 75.3                                    | 10.4                              | 4.06                                    | 62.9                                | 4.36                           |
| 3 Shaver Pltry Breed  | 444 TINT         | 7.20  | 230.8                          | 75.3                                    | 13.7                              | 3.93                                    | 89.5                                | 4.72                           |
| 3 Tatum Farms         | T-100 W.Leg      | 7.51  | 242.1                          | 74.7                                    | 15.5                              | 3.82                                    | 69.9                                | 4.64                           |
| 3 Tatum Farms         | T-173 Br         | 7.30  | 237.2                          | 72.8                                    | 9.9                               | 4.15                                    | 79.0                                | 5.10                           |
| 4 DeKalb-Warren       | 527 Black S.L    | 7.19  | 243.2                          | 76.3                                    | 7.8                               | 4.34                                    | 84.3                                | 5.95                           |
| 4 Hardy & Son         | Concord          | 6.55  | 228.2                          | 70.6                                    | 8.3                               | 4.42                                    | 76.6                                | 5.10                           |
| 4 Parks Poul. Farm    | Sil-Go-Link      | 6.62  | 225.8                          | 70.0                                    | 6.8                               | 4.27                                    | 72.5                                | 5.09                           |
| 4 Parks Poul. Farm    | Keystone W.Leg   | 5.96  | 220.4                          | 71.1                                    | 13.7                              | 4.28                                    | 62.7                                | 4.49                           |
| 4 Welp Inc.           | 937A W.Leg       | 7.12  | 249.0                          | 74.8                                    | 13.5                              | 3.95                                    | 49.3                                | 4.13                           |
| EXPERIMENTAL ENTRIES  |                  |   |                                |   |                                   |   |                                     |                                |
| Babcock Poultry Farm  | Exper. W.L.      | 8.03  | 249.4                          | 77.0                                    | 11.4                              | 3.69                                    | 72.4                                | 4.26                           |
| Joe K. Davis          | Exper. Br.       | 6.72  | 230.6                          | 70.1                                    | 4.7                               | 4.32                                    | 68.0                                | 5.65                           |
| Joe K. Davis          | Exper. S.L.      | 7.59  | 244.7                          | 74.4                                    | 4.2                               | 4.13                                    | 76.9                                | 5.53                           |
| Hardy & Son           | Exper. Br.       | 5.38  | 208.0                          | 65.2                                    | 9.5                               | 4.91                                    | 76.5                                | 6.44                           |
| Hubbard Farms         | Exper. Br.       | 7.84  | 250.3                          | 76.0                                    | 7.3                               | 4.09                                    | 82.4                                | 5.04                           |
| Hubbard Farms         | Exper. W.Leg     | 8.48  | 267.9                          | 80.5                                    | 7.1                               | 3.79                                    | 68.8                                | 4.33                           |
| Hy-Line Internat.     | Exper. "A"       | 6.97  | 240.6                          | 73.0                                    | 6.5                               | 4.32                                    | 83.3                                | 6.20                           |
| Rytman                | Ryt-Brenn Exp    | 4.84  | 194.5                          | 66.5                                    | 20.8                              | 4.55                                    | 58.5                                | 5.15                           |
| Shaver Poul. Breed    | Exp. W.Leg       | 7.23  | 236.3                          | 75.7                                    | 13.1                              | 3.87                                    | 80.0                                | 4.23                           |
| BROWN EGG AVG.        |                  | 7.35  | 239.7                          | 73.4                                    | 6.6                               | 4.20                                    | 80.7                                | 5.50                           |
| WHITE EGG AVG.        |                  | 7.74  | 249.3                          | 77.0                                    | 11.5                              | 3.84                                    | 68.7                                | 4.37                           |
| TINTED EGG AVG.       |                  | 6.02  | 212.7                          | 70.9                                    | 17.2                              | 4.24                                    | 74.0                                | 4.94                           |
| TEST AVG.             |                  | 7.42  | 241.8                          | 74.7                                    | 9.4                               | 4.05                                    | 75.3                                | 4.99                           |



Feed Conversion Data (AVG of replicates)

|                           | Pounds of Feed<br>Required per Actual<br>Dozen Eggs | Pounds of Feed<br>Required per<br>Pound of Eggs | Pounds of Feed<br>Required per Dozen<br>24 oz. Eggs |
|---------------------------|---|---|---|
| Hubbard Comet             | 4.40  | 2.53  | 3.87  |
| Hubbard Exper Brown       | 4.64  | 2.73  | 4.09  |
| DeKalb Sex Sal Link       | 4.74  | 2.65  | 3.37  |
| DeKalb Amber Link         | 4.69  | 2.76  | 4.14  |
| DeKalo 527 Black Sex Link | 4.94  | 2.89  | 4.34  |
| Parks Sil-Go-Link         | 4.67  | 2.85  | 4.27  |
| Shaver 579 RIR            | 4.30  | 2.70  | 4.05  |
| Babcock B 380 Brown       | 4.72  | 2.77  | 4.15  |
| Tatum T-173 Brown         | 4.60  | 2.76  | 4.15  |
| Harmen Golden Link        | 4.25  | 2.54  | 3.82  |
| Davis Exper Sex Link      | 4.59  | 2.75  | 4.13  |
| Davis Exper Brown Egg     | 4.65  | 2.88  | 4.32  |
| Hylline Exper "A"         | 4.91  | 2.88  | 4.32  |
| Hardy Concord             | 4.93  | 2.95  | 4.42  |
| Hardy Exper               | 5.45  | 3.27  | 4.91  |
| BROWN EGG AVG             | 4.73  | 2.80  | 4.20  |
| Hubbard White Leghorn     | 4.08  | 2.51  | 3.77  |
| Hubbard Exper W. Leg.     | 4.01  | 2.52  | 3.79  |
| DeKalb XL Link W. Leg.    | 4.08  | 2.49  | 3.74  |
| Parks Keysone W. Leg      | 4.49  | 2.83  | 4.28  |
| Shaver 238 W. Leg.        | 4.07  | 2.42  | 3.62  |
| Shaver Exper W. Leg.      | 4.26  | 2.58  | 3.87  |
| Babcock B300V W. Leg.     | 4.07  | 2.53  | 3.80  |
| Babcock Exper W. Leg.     | 3.97  | 2.46  | 3.69  |
| Tatum T-100 W. Leg.       | 4.11  | 2.54  | 3.82  |
| Pilch Euribrid W. Leg.    | 3.87  | 2.50  | 3.75  |
| Carey Nick 310 W. Leg.    | 4.23  | 2.71  | 4.06  |
| Welp 937A W. Leg.         | 4.01  | 2.63  | 3.95  |
| WHITE EGG AVG             | 4.10  | 2.56  | 3.84  |
| Shaver 444 Tint           | 4.57  | 2.61  | 3.93  |
| Rytman RYT-Brenn Exper    | 4.74  | 3.03  | 4.55  |
| TINT EGG AVG              | 4.64  | 2.82  | 4.24  |
| TEST AVG                  | 4.46  | 2.70  | 4.05  |

20th N. H. Egg Production Test 1978-79

Egg Quality

|                      | Haugh Unit Score |        | Percent Blood Spots |        | Percent Meat Spots |        | Specific Gravity Measurements |        |
|----------------------|------------------|--------|---------------------|--------|--------------------|--------|-------------------------------|--------|
|                      | 6 mo.            | 11 mo. | 6 mo.               | 11 mo. | 6 mo.              | 11 mo. | 6 mo.                         | 11 mo. |
| Hubbard Golden Comet | 70.1             | 72.8   | 1.1                 | 4.0    | 11.1               | 16.0   | 2.66                          | 1.25   |
| Hubbard Exp. Brown   | 70.0             | 70.9   | ---                 | ---    | 11.3               | 5.2    | 2.53                          | 1.48   |
| DeKalb Sex Sal Link  | 72.2             | 73.8   | 2.1                 | 3.0    | 8.5                | 8.0    | 2.03                          | 1.04   |
| DeKalb Amber Link    | 77.1             | 74.2   | 1.0                 | 1.0    | 5.1                | 3.0    | 2.07                          | 1.19   |
| DeKalb 527 Black     | 71.4             | 68.8   | 7.0                 | 4.1    | 7.1                | 2.0    | 1.95                          | 1.20   |
| Parks Sil-Go-Link    | 73.3             | 70.7   | 2.0                 | 1.0    | 14.2               | 4.2    | 2.40                          | 1.41   |
| Shaver 579 RIR       | 71.1             | 72.3   | 4.0                 | 3.0    | 9.0                | 2.0    | 1.65                          | 0.91   |
| Babcock B 380 Br.    | 70.1             | 72.1   | ---                 | ---    | 10.4               | 3.0    | 1.98                          | 0.97   |
| Tatum T-173 Br.      | 68.4             | 66.3   | 1.0                 | ---    | 9.2                | 1.0    | 2.09                          | 1.14   |
| Harmen Golden Link   | 71.5             | 69.6   | 2.1                 | ---    | 6.1                | 3.0    | 2.17                          | 1.25   |
| Davis Exp Sex Link   | 71.6             | 68.7   | ---                 | ---    | 6.0                | 6.0    | 2.20                          | 1.19   |
| Davis Exp. Brown     | 69.0             | 68.8   | ---                 | 1.0    | 6.1                | 4.0    | 1.91                          | 0.67   |
| HyLine Exp. A        | 73.8             | 74.4   | 1.0                 | 3.0    | 6.2                | 4.0    | 2.72                          | 1.67   |
| Hardy Concord        | 72.3             | 69.4   | ---                 | 2.1    | 9.4                | 3.0    | 2.59                          | 1.18   |
| Hardy Exp. Brown     | 69.1             | 72.3   | 1.0                 | 4.2    | 5.0                | 1.0    | 2.65                          | 1.49   |
| BROWN EGG AVERAGE    | 71.4             | 71.0   | 1.5                 | 1.8    | 8.3                | 4.4    | 2.24                          | 1.20   |
| Hubbard W. Leg       | 72.6             | 74.0   | 11.2                | 4.1    | ---                | ---    | 3.02                          | 1.32   |
| Hubbard Exp. W. Leg  | 70.6             | 73.9   | 2.0                 | ---    | ---                | ---    | 2.88                          | 1.34   |
| DeKalb XL Link W.L.  | 71.6             | 71.8   | 1.0                 | 1.0    | ---                | ---    | 2.57                          | 1.40   |
| Parks W. Leg         | 63.6             | 69.6   | 5.0                 | 1.0    | ---                | ---    | 2.55                          | 1.39   |
| Shaver 288 W. Leg    | 73.8             | 79.3   | 1.0                 | 3.0    | 1.0                | ---    | 2.91                          | 1.34   |
| Shaver Exp. W. Leg   | 70.4             | 70.1   | 2.0                 | 1.0    | ---                | ---    | 3.19                          | 1.75   |
| Babcock B 300 W. Leg | 71.7             | 73.6   | 2.0                 | ---    | ---                | ---    | 4.02                          | 1.89   |
| Babcock Exp. W. Leg  | 73.9             | 69.8   | ---                 | ---    | ---                | ---    | 4.20                          | 2.19   |
| Tatum T-100 W. Leg   | 72.4             | 73.1   | 7.1                 | 4.8    | 1.0                | ---    | 2.57                          | 1.37   |
| Pilch Hisex W. Leg   | 71.8             | 71.2   | 1.0                 | 2.1    | ---                | ---    | 2.72                          | 1.44   |
| Carey 310 W. Leg     | 70.3             | 68.7   | 1.0                 | ---    | ---                | ---    | 3.21                          | 1.81   |
| Welp 937 W. Leg      | 70.8             | 72.3   | 2.0                 | 1.0    | ---                | ---    | 2.97                          | 0.99   |
| WHITE EGG AVERAGE    | 71.1             | 71.8   | 2.9                 | 1.5    | 0.2                | 0.0    | 3.08                          | 1.52   |
| Shaver 444 Tint      | 74.4             | 71.3   | ---                 | 1.0    | 2.0                | ---    | 2.53                          | 1.60   |
| Rytman Exp. Tint     | 73.3             | 73.9   | 1.0                 | 1.0    | ---                | ---    | 2.68                          | 1.28   |
| TINT AVERAGE         | 73.9             | 72.6   | 0.5                 | 1.0    | 1.0                | 0.0    | 2.61                          | 1.44   |
| TEST AVERAGE         | 71.5             | 71.4   | 2.0                 | 1.6    | 0.4                | 2.3    | 2.61                          | 1.35   |

20th N. H. Egg Test 1978-79 BODY WEIGHTS

| Housing Weight<br>Avg. | January 24, 1979 |         | FINAL WEIGHTS |         |
|------------------------|------------------|---------|---------------|---------|
|                        | 1st Rep          | 2nd Rep | 1st Rep       | 2nd Rep |
| Avg.                   | Avg.             | Avg.    | Avg.          | Avg.    |
| Hubbard Comet          | 3.43             | 4.86    | 4.80          | 4.83    |
| Hubbard Exper. Br.     | 3.23             | 4.95    | 4.89          | 4.92    |
| DeKalb Sex Sal Link    | 3.39             | 5.02    | 5.46          | 5.24    |
| DeKalb Amber Link      | 3.57             | 5.72    | 5.60          | 5.66    |
| DeKalb 527 Black S L   | 3.68             | 5.65    | 5.49          | 5.57    |
| Parks Sil-Go-Link      | 3.81             | 4.83    | 4.61          | 4.72    |
| Starcross 579 RIR      | 3.46             | 5.69    | 5.53          | 5.61    |
| Babcock B 380 Br.      | 3.50             | 5.15    | 5.19          | 5.17    |
| Tatum T-173 Br.        | 3.35             | 4.96    | 5.08          | 5.02    |
| Harmen Golden Link     | 3.27             | 4.67    | 4.94          | 4.81    |
| Davis Exp. Sex Link    | 3.41             | 5.05    | 5.44          | 5.25    |
| Davis Exp. Br. Egg     | 3.63             | 5.33    | 5.28          | 5.31    |
| HyLine Exper. A        | 4.04             | 5.75    | 5.69          | 5.72    |
| Hardy Concord          | 3.39             | 5.02    | 4.64          | 4.83    |
| Hardy Exp.             | 3.48             | 5.80    | 5.78          | 5.79    |
| BROWN EGG AVERAGE      | 3.51             |         | 5.23          |         |
| Hubbard Leghorn        | 2.75             | 4.15    | 4.34          | 4.25    |
| Hubbard Exp. Leghorn   | 2.79             | 4.04    | 4.17          | 4.11    |
| DeKalb XL Link W Leg   | 2.94             | 4.13    | 4.03          | 4.08    |
| Parks Leghorn          | 2.95             | 3.94    | 4.25          | 4.10    |
| Shaver 288 W.L.        | 2.86             | 4.18    | 4.20          | 4.19    |
| Shaver Exp. W.L.       | 2.80             | 3.99    | 3.87          | 3.93    |
| Babcock B 300 W.L.     | 2.70             | 4.05    | 3.82          | 3.94    |
| Babcock Exp. W.L.      | 3.02             | 3.94    | 4.13          | 4.04    |
| Tatum T-100 W.L.       | 2.90             | 4.43    | 4.16          | 4.30    |
| Pilch Euribrid W.L.    | 2.91             | 3.69    | 3.87          | 3.78    |
| Carey 310 W.L.         | 2.93             | 3.97    | 4.20          | 4.09    |
| Welp 937A W.L.         | 2.82             | 3.97    | 3.72          | 3.85    |
| WHITE EGG AVERAGE      | 2.86             |         | 4.06          |         |
| Shaver 444 Tint        | 3.10             | 4.87    | 4.82          | 4.85    |
| Rytman Exp. Tint       | 3.15             | 4.01    | 4.68          | 4.35    |
| TINT AVERAGE           | 3.13             |         | 4.60          |         |
| TEST AVERAGE           | 3.22             |         | 4.70          |         |



Twentieth New Hampshire Egg Production Test 1978-79

Miscellaneous Data Through Rearing Period

Days to 50% Production

|                          | Brooding and<br>Rearing Mortality | Average Price<br>Per Chick | Rep. |     |     |     |     |     |     |     | Rep.<br>Average |
|--------------------------|-----------------------------------|----------------------------|------|-----|-----|-----|-----|-----|-----|-----|-----------------|
|                          |                                   |                            | 1    | 2   | 3   | 4   | 5   | 6   | 7   | 8   |                 |
| Hubbard Golden Comet     | 8.9%                              | 37.6                       | 164  | 170 | 169 | 166 | 164 | 164 | 163 | 164 | 165             |
| Hubbard Exp. Brown       | 7.9                               |                            | 170  | 169 | 163 | 171 | 165 | 161 | 162 | 159 | 165             |
| DeKalb Sex Sal Link      | 1.8                               |                            | 184  | 185 | 191 | 185 | 170 | 186 | 176 | 183 | 182             |
| DeKalb Amber Link        | 3.6                               |                            | 184  | 184 | 191 | 183 | 182 | 170 | 176 | 172 | 180             |
| DeKalb 527 Black         | 3.6                               |                            | 176  | 184 | 182 | 176 | 182 | 168 | 184 | 176 | 178             |
| Parks Sil-Co-Link        | 12.5                              |                            | 176  | 172 | 179 | 183 | 186 | 172 | 170 | 172 | 176             |
| Shaver 579 RIR           | 3.6                               |                            | 184  | 176 | 170 | 172 | 164 | 165 | 164 | 166 | 170             |
| Babcock B 3d0 Br.        | 7.1                               |                            | 164  | 163 | 169 | 168 | 172 | 169 | 169 | 163 | 167             |
| Tatum T-173 Br.          | 0.0                               |                            | 170  | 169 | 170 | 169 | 175 | 158 | 165 | 163 | 167             |
| Harmen Golden Link       | 1.8                               |                            | 183  | 176 | 176 | 182 | 185 | 169 | 170 | 173 | 176             |
| Davis Exp. Sex Link      | 0.0                               |                            | 176  | 176 | 179 | 179 | 171 | 176 | 173 | --- | 175             |
| Davis Exp. Brown         | 3.6                               |                            | 171  | 184 | 176 | 171 | 184 | 165 | 166 | 170 | 173             |
| HyLine Exp. A            | 13.2                              |                            | 175  | 171 | 176 | 171 | 165 | 170 | 170 | --- | 171             |
| Hardy Concord            | 1.8                               |                            | 184  | 183 | 176 | 176 | 179 | 170 | 171 | 170 | 176             |
| Hardy Exp. Brown         | 1.8                               |                            | 179  | 184 | 179 | 179 | 175 | 173 | 176 | --- | 177             |
| Brown Egg Average        | 4.7                               | 37.6                       |      |     |     |     |     |     |     |     | 173             |
| Hubbard White Leghorn    | 3.6                               |                            | 164  | 160 | 169 | 163 | 165 | 166 | 164 | 166 | 166             |
| Hubbard Exp. W. Leghorn  | 8.9                               |                            | 163  | 158 | 162 | 163 | 159 | 159 | 163 | --- | 161             |
| DeKalb XL Link W.L.      | 10.7                              |                            | 163  | 164 | 164 | 165 | 166 | 164 | 165 | 165 | 164             |
| Parks W. Leghorn         | 10.7                              |                            | 171  | 172 | 179 | 179 | 169 | 172 | 163 | --- | 172             |
| Shaver 280 W. Leghorn    | 5.6                               |                            | 165  | 162 | 165 | 162 | 157 | 157 | 170 | 164 | 162             |
| Shaver Exp. W. Leghorn   | 8.9                               |                            | 168  | 162 | 168 | 173 | 165 | 161 | 164 | --- | 165             |
| Babcock B 300 W. Leghorn | 0.0                               |                            | 164  | 165 | 158 | 163 | 162 | 162 | 159 | 164 | 162             |
| Babcock Exp. W. Leghorn  | 0.0                               |                            | 158  | 161 | 163 | 165 | 164 | 162 | 163 | 165 | 162             |
| Tatum T-100 W. Leghorn   | 8.9                               |                            | 170  | 170 | 168 | 172 | 164 | 163 | 164 | --- | 167             |
| Pilch Hisex W. Leghorn   | 3.6                               |                            | 156  | 156 | 155 | 149 | 149 | 156 | 151 | 152 | 153             |
| Carey 310 W. Leghorn     | 5.6                               |                            | 169  | 170 | 173 | 171 | 176 | 173 | 173 | 169 | 171             |
| Welp 937 W. Leghorn      | 8.9                               |                            | 154  | 155 | 154 | 158 | 157 | 156 | 151 | 151 | 154             |
| White Egg Average        | 6.3                               | 37.6                       |      |     |     |     |     |     |     |     | 163             |
| Shaver 444 Tint          | 0.0                               |                            | 183  | 172 | 185 | 186 | 185 | 171 | 170 | --- | 178             |
| Rytman Exp. Tint         | 10.7                              |                            | 183  | 176 | 183 | 175 | 182 | 172 | 166 | 166 | 175             |
| Tint Average             | 5.4                               | 37.6                       |      |     |     |     |     |     |     |     | 177             |
| Test Average             | 5.4                               | 37.6                       |      |     |     |     |     |     |     |     | 169             |

Twentieth New Hampshire Egg Production Test 1978-79

PRICES USED IN COMPUTATION

|                 | Brown Eggs |         |      |      | White Eggs |       |         |      | Feed Cost<br>Per 100<br>Pounds |
|-----------------|------------|---------|------|------|------------|-------|---------|------|--------------------------------|
|                 | Jumbo      | Ex. Lg. | Lg.  | Med. | Sm.        | Jumbo | Ex. Lg. | Lg.  |                                |
| September, 1978 | 89.5       | 76.0    | 75.0 | 68.0 | 42.0       | 86.8  | 72.5    | 70.5 | 59.8                           |
| October         | 80.8       | 72.4    | 71.3 | 66.3 | 45.1       | 80.8  | 69.9    | 67.0 | 62.7                           |
| November        | 81.4       | 77.0    | 76.0 | 71.4 | 51.0       | 81.4  | 73.6    | 73.0 | 71.4                           |
| December        | 83.0       | 80.7    | 80.5 | 76.3 | 55.5       | 83.0  | 76.7    | 76.7 | 74.7                           |
| January, 1979   | 85.3       | 81.4    | 80.7 | 77.8 | 59.0       | 85.2  | 78.6    | 78.0 | 76.5                           |
| February        | 80.3       | 77.1    | 75.5 | 71.7 | 50.4       | 79.3  | 75.1    | 73.5 | 69.9                           |
| March           | 82.4       | 80.1    | 79.2 | 75.2 | 49.8       | 81.4  | 80.0    | 79.3 | 75.2                           |
| April           | 83.0       | 74.3    | 73.0 | 67.8 | 48.4       | 83.0  | 76.3    | 75.2 | 67.9                           |
| May             | 79.6       | 71.4    | 68.3 | 61.1 | 44.8       | 79.4  | 68.9    | 66.6 | 61.1                           |
| June            | 80.8       | 73.5    | 71.0 | 58.0 | 39.0       | 80.3  | 71.5    | 69.5 | 58.0                           |
| July            | 90.0       | 77.0    | 75.0 | 62.5 | 41.0       | 90.0  | 75.0    | 73.0 | 62.5                           |
| August          | 87.2       | 74.7    | 72.3 | 62.9 | 37.3       | 86.2  | 72.1    | 70.1 | 62.9                           |
| Average         | 83.6       | 76.3    | 74.8 | 68.3 | 46.9       | 83.1  | 74.2    | 72.7 | 66.9                           |
|                 |            |         |      |      |            |       |         |      | 46.6                           |
|                 |            |         |      |      |            |       |         |      | 7.00                           |

Egg Prices are based on the weekly average of the Boston Market.

Feed Prices are based on a weekly feed price sheet from a New England based feed company.

Fowl Prices: Heavies 7½¢ Leghorns 7¢

FINAL SUMMARY REPORT  
TWENTIETH NORTH CAROLINA RANDOM SAMPLE LAYING TEST  
March 23, 1978 through August 1, 1979

The North Carolina Random Sample Laying Tests are conducted under the auspices of the Agricultural Extension Service of North Carolina State University and the Division of Research Stations of the North Carolina Department of Agriculture. Mr. T. R. Burleson, Jr., Route 6, Box 420, Salisbury, North Carolina 28144, is Resident Manager of the tests and Dr. G. A. Martin, Department of Poultry Science, North Carolina State University, P. O. Box 5307, Raleigh, North Carolina 27650, is Project Leader. The purpose of the project is to assist poultrymen in evaluating stocks and management systems. A committee representing various poultry interests in the State advises the Steering Committee in establishing policies and practices which best serve this purpose. Since no laying tests are now operating in the United States west of the Appalachian Mountain range, the Steering Committee of this test altered policy to permit a limited number of Category II stocks.

Data are presented in tables 20-4A-I, II, III, and IV, 20-4C-I, II, III, and IV, and 20-4D-I, II, III, IV, V, and VI. Tables carrying the letters A and C in their numbers report performance data for birds housed @ 3 birds/12" X 16" cage in a light-and-air controlled house and housed @ 2 birds/10" X 18" cage in a curtain-side house, respectively. They are subdivided into sections for reps fed by breeder recommendations and for reps that were phased-fed as in prior tests. Tables carrying the letter D in their numbers report averages across the A and C tables. Due to the large number of items reported, each table is divided into parts I, II, etc. for the final report. These data are for one year at one location. The USDA publishes a Report of Random Sample Egg Production Tests in the United States and Canada which includes results from other location. Other stock comparisons are available from each of the other tests.

INFORMATION CONCERNING DATA REPORTED

Samples of 1080 freshly gathered hatching eggs were taken at selected supply flocks, or by sampling from egg rooms when nest sampling was not feasible. Public employees in Agriculture supervised sample selection and sealed the cases for delivery to the test site where all eggs were incubated. Each entry had a maximum of 458 sexed pullets placed for brooding. Three groups of 60 birds each were grown in open (curtain-side) housing in 24" X 20" cages @ 24 sq. in./bird for 5 weeks and @ 56 sq. in./bird thereafter (65 and 28 birds/M<sup>2</sup>). Two groups of 112 birds each were grown in a closed (light-and-air controlled) house in 24" X 20" cages @ 21 sq. in./bird for 5 weeks and @ 64 sq. in./bird thereafter (73 and 24 birds/M<sup>2</sup>). Starting mash was fed at a rate of 2.67 lbs. per bird and then growing mash was fed ad lib until housing at 147 days or 5% production.

At 147 days, six reps of 26 birds each (when available) were randomly selected from pullets of each stock in the open house and placed in a similar house with two birds per 10" X 18" cage @ 90 sq. in. per bird (17 birds/M<sup>2</sup>). At the same time six reps of 30 birds each (when available) were randomly selected from pullets of each stock in the closed house and placed in a similar house with three birds per 12" X 16" cage @ 64 sq. in. per bird (24 birds/M<sup>2</sup>). Three reps in each house were assigned to the breeder-specified feeding program and the other three were placed on the regular phased-feeding program.



All-mash starting, growing, and five laying rations were purchased on contract from a commercial feed manufacturer to conform with selected specifications shown elsewhere in the report. Feed consumption and rate of production were calculated every 14 days during the laying period for blocks of layers having the same shell color and in the same house to guide formula assignment for phased-feeding. Similar data for the three reps of each stock in each house were used in following the breeders feeding program.

All birds were vaccinated at day-old for Marek's with cell associated live turkey herpes virus vaccine. We express our appreciation to Dr. Bob Keenum, Keenum, Inc., P. O. Box 1706, Anniston, Alabama for providing this vaccine for the flock and to Dr. Max Colwell, who was then a Professor in the Department of Veterinary Science at North Carolina State University, for supervising the administration of the vaccine. No mortality was attributable to Marek's during the growing or laying periods of this flock. All pullets were debeaked at between 6 and 10 days of age with touch-up at about 12 weeks for the few that needed it. All pullets were vaccinated for Newcastle at seven days (B1), four weeks (LaSota) and 16 weeks (LaSota) and for bronchitis at seven days and 16 weeks via water; vaccinated for pox via wing web at 12 weeks; and vaccinated for Avian encephalomyelitis at 16 weeks of age. The flock was monitored and remained negative for M.g. throughout the test, even though hatched and grown on the same farm with a positive adult flock. (The requirement for an M.g. clean supply source precluded some Category II stocks that might otherwise have been tested.)

We express our gratitude to Mr. Jim Arneson, Manager of the FCX egg processing plant at Charlotte, for providing a grading service by entry and making Part V of the tables possible.

## RESULTS

### Part I of Tables

Entry No. is assigned at random to the particular entry.

Type Housing: 1 = 3-bird cages in closed house, 3 = 2-bird cages in open house, 0 = average to two types.

Breeder is the name used to distinguish entries. Full information about the stock and source is listed elsewhere in this report.

Average Body Weight is recorded in pounds at housing and at end of test.

Egg Size, Distribution (%) was obtained by crediting each week's production to size classes in proportion to those observed in the total production of one day. Individual eggs weighing 24 but less than 27 oz./doz. are classified as large. Other size classes are scaled up or down from large in blocks of 3 oz./doz.

Average Egg Weight was obtained by crediting all eggs for each week at the average size observed on one day by mass weight.

Age at 50% Production was the age of pullets on the first day of the first two consecutive days on which production reached or exceeded 50%.

Hen-Day Production Percentages represent the daily average number of eggs produced per 100 hens of the entry during the specified periods.

Eggs Per Pullet Housed is the total number of eggs produced divided by the number of pullets housed.

## Part II of Tables

Entry No. and Type Housing are the same as above.

No. of Birds are the net pullets or hens retained at the specified times. Sexing errors, first week mortality and accidental deaths are excluded.

Mortality is the percentage of birds that died during growing and laying periods and the average days per bird housed that were lost to mortality during the laying period.

Feed Consumed is average feed consumed for the 147 days in the growing period, per 100 birds per day in laying period, per pound of eggs produced in laying period, and per dozen eggs laid.

Chick Price is the average of prices quoted for all stocks in the test in March 1978.

Values Per Pullet Housed. Weekly averages of Raleigh egg prices quoted by the Federal-State Market Service were adjusted to farm price and averaged over three years. Fowl prices in North Carolina for the week in which the test terminated were averaged over three years. Monthly feed prices quoted by the NCDA were averaged over three years and assumed to represent a 16% protein, 1288 Kcal./lb. feed. Prices of other feeds were adjusted up or down by an amount equal to the difference in ingredient prices at the middle of each quarter of the current year.

IOFCC is income over laying feed cost and growing chick and feed cost per pullet housed. This does not represent net return since many other costs are involved in egg production.

## Part III of Tables

Entry No. and Type Housing are the same as above.

% Inclusion (Break-Out): Blood spots and colored meat spots were observed by breaking one day's production from each lot at about 30-day intervals throughout the year. Spots exceeding 1/8 inch were classified as large and those of lesser size as small. Break-out data were not used for egg value calculations.

% Loss (Downgrades) was the percentage by which total egg value was reduced below Grade A value due to downgrades detected by candling. We express our appreciation to the personnel of the North Carolina Department of Agriculture who provided candling service on one day of production each month. Market values of all eggs were calculated on the basis of these candling reports, with no discount for stained or dirty eggs, since the eggs were graded unwashed.

Candled Quality Percentages: Official egg graders from the North Carolina Department of Agriculture candled the production of one day each month. The percentages reported are a summary of their findings and were used to determine egg value.

Haugh Units were measured on one day's production each quarter of the year. Since this factor undergoes seasonal change, the quarterly averages and the annual average are given.

Shell Score (Specific Gravity) was secured by using salt solutions to determine the specific gravity of eggs. The eggs with specific gravity below 1.068 were given a score of 0; those between 1.068 and 1.072, a score of 1; etc. with those exceeding 1.100 receiving a score of 9. One day's production from each group of birds was classified in the months indicated.

#### Part IV of Tables

Entry No. and Type Housing are the same as above.

Causes of Mortality were assigned from autopsy findings. Birds were held in a freezer as mortality occurred and examined at a North Carolina Department of Agriculture Diagnostic Laboratory once each week. We express our appreciation to Dr. W. H. Emory for providing this service to the test. The 12-point classification system recommended by the Council of American Official Poultry Tests was used on autopsy reports. Some categories which accounted for little mortality were combined under "Other" in the interest of saving space.

#### Part V of Tables

Entry No., Type Housing, and Breeder are the same as above.

Commercial Egg Gradeout was made by stocks during the weeks indicated at the FCX plant at Charlotte, North Carolina. % A large and over and % A medium, small, and pee wee are consumer grades. % Breaker combines C quality, B quality, small inclusions, and stains which constitute breaker stock with sound shells. % Crax are non-leakers with unsound shells removed for breaker stock. % Farm Loss is the percentage of unsound eggs removed before shipping and % Other Loss includes all other eggs shipped (large spots, addled eggs, leakers, lost in machines, etc.). Seasonal data are not combined.

#### Part VI of Tables

This section of the tables is presented only for the average performance of the entries in both types of housing and feed and for only the four characteristics listed.

The Range column indicates those entries which are in the most desirable half of the range above the mean by 1, those between this point and the mean by 2, those in the least desirable half of the range below the mean by 4, and those between this point and the mean by 3.

Entry No. indicates which stock from earlier listing in the tables attained the average performance value shown.

Entries spanned by the same vertical line in the Duncan Test column have a greater than 5% probability that the indicated difference is due to sampling variation.

| Breeder  | Stock<br>Identi-<br>fication      | Entry<br>Cate-<br>gory | Source<br>of<br>Sample   |
|--|-----------------------------------|------------------------|--|
| Babcock Poultry Farm, Inc.<br>Box 280<br>Ithaca, NY 14850                                    | Babcock B-300V<br>WL INX          | I-A<br>YES             | Harrold's Hatchery<br>P. O. Box 98<br>Winterville, GA 30683          |
| Babcock Poultry Farm, Inc.<br>Box 280<br>Ithaca, NY 14850                                    | Babcock B-380<br>RIRxSYN IBX      | I-A<br>YES             | Babcock Poultry Farm, Inc.<br>Box 280<br>Ithaca, NY 14850            |
| DeKalb AgResearch, Inc.<br>Sycamore Road<br>DeKalb, IL 60115                                 | DeKalb XL-Link<br>WL 4wSX         | I-A<br>YES             | Clay's Hatchery<br>Route 1<br>Blackstone, VA 23824                   |
| DeKalb AgResearch, Inc.<br>Sycamore Road<br>DeKalb, IL 60115                                 | DeKalb Amber-Link<br>RIRxSYN BX   | I-A<br>YES             | Hillcrest Hatcheries<br>Route 2, Box 163<br>Bogart, GA 30622         |
| Euribrid B.U. Entry by<br>Pilch-Hisex, Box 438<br>Troutman, NC 28677                         | Hisex White<br>WL 4wSX            | I-A<br>YES             | Grassy Knoll Hatchery<br>P. O. Box 6036<br>Charlottesville, VA 22906 |
| H & N, Inc.<br>15305 N.E. 40th St.<br>Redmond, WA 98052                                      | H & N "Nick Chick"<br>WL 4wSX     | I-A<br>YES             | Walter Wheelock Hatchery<br>Route 8<br>Chambersburg, PA 17201        |
| Hubbard Farms, Inc.<br>Walpole, NH 03608   | Hubbard Golden Comet<br>NHxSYN BX | I-A<br>YES             | Bowers Brothers Hatchery<br>Albemarle, NC 28001                      |
| Hy-Line International<br>1206 Mulberry<br>Des Moines, IA                                     | Hy-Line W-36<br>INX               | I-C<br>NO              | Not Applicable   |
| Shaver Poultry Breeding<br>Farms, Ltd.<br>Box 400 Galt, Cambridge<br>Ontario, CANADA N1R 5W6 | Starcross 288<br>WL SX            | I-A<br>YES             | Delta Hatcheries<br>P. O. Box 769<br>Lake City, FL 32055             |
| Tatum Farms<br>Route 3<br>Dawsonville, GA 30534  | Tatum T-100<br>WL SX              | II<br>YES              | Tatum Farms<br>Route 3<br>Dawsonville, GA 30534                      |

TWENTIETH NORTH CAROLINA RANDOM SAMPLE LAYING TEST



TABLE 20-4A-I. Body Weight, Egg Size, Maturity and Production Rate

| Entry No.             | Type Housing | Breeder              | Average Body Weight |          | % Egg Size, Distribution |       |        |       |                      | Average Egg Wt. Oz./Doz. | Age at 50% Production | Egg Production Rate - % |              |              |              |              | Eggs Per Pullet Housed |                      |
|-----------------------|--------------|----------------------|---------------------|----------|--------------------------|-------|--------|-------|----------------------|--------------------------|-----------------------|-------------------------|--------------|--------------|--------------|--------------|------------------------|----------------------|
|                       |              |                      | 147 Days            | 497 Days | Free Wee                 | Small | Medium | Large | Extra Large and Over |                          |                       | 148-231 Days            | 232-315 Days | 316-399 Days | 400-497 Days | 456-497 Days |                        | After 50% Production |
|                       |              |                      |                     |          |                          |       |        |       |                      |                          |                       |                         |              |              |              |              |                        |                      |
| Phased Feed           |              |                      |                     |          |                          |       |        |       |                      |                          |                       |                         |              |              |              |              |                        |                      |
| 1                     | 1            | Hubbard (Gld. Comet) | 3.1                 | 4.8      | 0.4                      | 1.7   | 13.8   | 37.7  | 46.3                 | 25.9                     | 168.7                 | 70.6                    | 85.4         | 73.6         | 65.4         | 62.4         | 77.4                   | 244.1                |
| 2                     | 1            | Babcock (B-300V)     | 2.7                 | 3.8      | 0.9                      | 2.5   | 18.9   | 45.2  | 32.5                 | 25.3                     | 164.7                 | 73.9                    | 84.3         | 75.1         | 65.5         | 60.4         | 77.4                   | 253.6                |
| 3                     | 1            | Babcock (B-380)      | 3.5                 | 5.0      | 0.2                      | 0.9   | 7.5    | 30.7  | 60.7                 | 27.2                     | 167.7                 | 70.1                    | 84.6         | 76.1         | 67.9         | 64.5         | 78.0                   | 256.9                |
| 4                     | 1            | Euribrid (Hisex Wh.) | 2.7                 | 3.9      | 1.4                      | 3.2   | 22.9   | 44.9  | 27.5                 | 24.6                     | 160.3                 | 80.4                    | 88.5         | 79.4         | 72.3         | 68.0         | 81.9                   | 273.3                |
| 5                     | 1            | Tatum (T-100)        | 2.8                 | 4.1      | 0.7                      | 2.5   | 16.5   | 40.2  | 40.2                 | 25.7                     | 163.3                 | 73.3                    | 84.4         | 71.3         | 57.5         | 52.3         | 74.1                   | 239.1                |
| 6                     | 1            | Hy Line (W-36)       | 2.8                 | 3.8      | 0.9                      | 4.6   | 22.3   | 43.6  | 28.6                 | 24.9                     | 173.0                 | 61.3                    | 84.3         | 74.7         | 63.2         | 59.4         | 75.7                   | 210.6                |
| 7                     | 1            | Shaver (288)         | 2.8                 | 4.0      | 0.2                      | 0.9   | 9.0    | 33.3  | 56.6                 | 26.6                     | 163.7                 | 76.3                    | 92.8         | 82.9         | 67.1         | 58.5         | 82.3                   | 268.3                |
| 8                     | 1            | DeKalb (XL Link)     | 2.7                 | 3.8      | 0.6                      | 2.0   | 20.3   | 42.0  | 35.1                 | 25.3                     | 166.3                 | 75.4                    | 91.2         | 82.2         | 71.6         | 67.6         | 83.4                   | 270.9                |
| 9                     | 1            | DeKalb (Amber Link)  | 3.2                 | 5.6      | 0.7                      | 1.3   | 10.2   | 36.0  | 51.8                 | 26.4                     | 172.0                 | 64.4                    | 85.2         | 76.0         | 66.6         | 62.3         | 77.4                   | 250.5                |
| 10                    | 1            | H & N ("Nick Chick") | 2.7                 | 3.8      | 0.6                      | 1.5   | 18.3   | 44.9  | 34.7                 | 25.2                     | 162.0                 | 76.7                    | 87.4         | 77.0         | 65.5         | 60.3         | 78.7                   | 265.4                |
| 0                     | 1            | Average              | 2.9                 | 4.3      | 0.7                      | 2.1   | 16.0   | 39.9  | 41.4                 | 25.7                     | 166.2                 | 72.3                    | 86.8         | 76.8         | 66.3         | 61.6         | 78.6                   | 253.3                |
| Breeders Program Feed |              |                      |                     |          |                          |       |        |       |                      |                          |                       |                         |              |              |              |              |                        |                      |
| 1                     | 2            | Hubbard (Gld. Comet) | 3.1                 | 4.8      | 0.3                      | 1.2   | 13.5   | 35.2  | 49.9                 | 26.2                     | 168.0                 | 70.5                    | 83.5         | 73.6         | 63.3         | 61.3         | 76.1                   | 243.8                |
| 2                     | 2            | Babcock (B-300V)     | 2.7                 | 3.7      | 0.9                      | 2.4   | 18.8   | 44.5  | 33.4                 | 25.1                     | 164.3                 | 75.0                    | 84.9         | 77.0         | 65.1         | 60.4         | 77.7                   | 260.5                |
| 3                     | 2            | Babcock (B-380)      | 3.5                 | 5.0      | 0.2                      | 0.8   | 7.3    | 27.5  | 64.3                 | 27.4                     | 168.0                 | 72.3                    | 85.3         | 75.3         | 67.5         | 65.4         | 78.3                   | 256.9                |
| 4                     | 2            | Euribrid (Hisex Wh.) | 2.8                 | 3.9      | 1.0                      | 3.1   | 22.4   | 43.3  | 30.2                 | 24.9                     | 160.7                 | 79.1                    | 87.4         | 78.9         | 70.8         | 63.9         | 81.0                   | 266.3                |
| 5                     | 2            | Tatum (T-100)        | 2.9                 | 4.0      | 0.9                      | 2.4   | 17.8   | 40.5  | 38.5                 | 25.5                     | 167.3                 | 70.3                    | 84.8         | 74.6         | 61.5         | 56.7         | 75.8                   | 245.9                |
| 6                     | 2            | Hy Line (W-36)       | 2.7                 | 3.9      | 0.6                      | 4.1   | 23.2   | 43.5  | 28.6                 | 25.0                     | 174.7                 | 62.4                    | 83.1         | 73.4         | 59.7         | 53.4         | 74.6                   | 214.4                |
| 7                     | 2            | Shaver (288)         | 2.8                 | 4.2      | 0.5                      | 1.0   | 10.4   | 34.8  | 53.4                 | 26.3                     | 164.7                 | 76.0                    | 89.7         | 80.4         | 64.7         | 56.0         | 80.9                   | 258.3                |
| 8                     | 2            | DeKalb (XL Link)     | 2.8                 | 3.8      | 0.5                      | 1.6   | 16.5   | 44.8  | 36.6                 | 25.2                     | 166.0                 | 73.6                    | 91.1         | 81.3         | 64.6         | 56.2         | 80.5                   | 259.6                |
| 9                     | 2            | DeKalb (Amber Link)  | 3.2                 | 5.6      | 0.5                      | 0.9   | 10.3   | 37.7  | 50.5                 | 26.4                     | 171.0                 | 64.2                    | 85.6         | 76.8         | 69.3         | 65.6         | 78.4                   | 251.1                |
| 10                    | 2            | H & N ("Nick Chick") | 2.7                 | 3.7      | 0.9                      | 2.5   | 21.1   | 43.9  | 31.6                 | 25.1                     | 163.7                 | 73.9                    | 83.5         | 73.2         | 66.8         | 62.5         | 76.9                   | 251.4                |
| 0                     | 2            | Average              | 2.9                 | 4.3      | 0.6                      | 2.0   | 16.1   | 39.6  | 41.7                 | 25.7                     | 166.8                 | 71.7                    | 85.9         | 76.5         | 65.3         | 60.2         | 78.0                   | 250.8                |

TABLE 20-4C-I. Body Weight, Egg Size, Maturity and Production Rate

| Entry No.            | Type Housing | Breeder              | Average Body Weight |          | % Egg Size, Distribution |       |        |       |                      | Average Egg Wt. Oz./Doz. | Age at 50% Production | Egg Production Rate - % |              |              |              |              | Eggs Per Pullet Housed |                      |
|----------------------|--------------|----------------------|---------------------|----------|--------------------------|-------|--------|-------|----------------------|--------------------------|-----------------------|-------------------------|--------------|--------------|--------------|--------------|------------------------|----------------------|
|                      |              |                      | 147 Days            | 497 Days | Pee Wee                  | Small | Medium | Large | Extra Large and Over |                          |                       | 148-231 Days            | 232-315 Days | 316-399 Days | 400-497 Days | 456-497 Days |                        | After 50% Production |
|                      |              |                      |                     |          |                          |       |        |       |                      |                          |                       |                         |              |              |              |              |                        |                      |
| Phased Feed          |              |                      |                     |          |                          |       |        |       |                      |                          |                       |                         |              |              |              |              |                        |                      |
| 1                    | 3            | Hubbard (Gld. Comet) | 3.2                 | 4.7      | 0.1                      | 0.7   | 9.5    | 34.0  | 55.6                 | 26.8                     | 186.7                 | 56.1                    | 82.2         | 72.6         | 68.6         | 66.5         | 74.2                   | 244.1                |
| 2                    | 3            | Babcock (B-300V)     | 2.7                 | 3.9      | 0.7                      | 1.2   | 11.4   | 41.3  | 45.4                 | 26.0                     | 168.0                 | 63.9                    | 84.1         | 74.3         | 69.5         | 69.6         | 75.5                   | 247.5                |
| 3                    | 3            | Babcock (B-380)      | 3.6                 | 5.0      | 0.2                      | 0.3   | 6.1    | 19.1  | 74.2                 | 28.5                     | 171.7                 | 63.7                    | 86.8         | 77.7         | 70.3         | 67.2         | 78.8                   | 257.0                |
| 4                    | 3            | Euribrid (Hisex Wh.) | 2.8                 | 3.6      | 1.4                      | 2.9   | 20.4   | 45.5  | 29.7                 | 25.0                     | 154.7                 | 77.4                    | 84.9         | 78.6         | 74.6         | 70.6         | 78.8                   | 273.3                |
| 5                    | 3            | Tatum (T-100)        | 3.1                 | 4.1      | 0.3                      | 1.6   | 14.3   | 38.9  | 44.8                 | 26.0                     | 166.3                 | 70.2                    | 79.9         | 71.6         | 70.2         | 69.1         | 75.5                   | 249.2                |
| 6                    | 3            | Hy Line (W-36)       | 2.8                 | 3.8      | 0.5                      | 1.8   | 15.5   | 41.0  | 41.2                 | 25.8                     | 173.3                 | 63.2                    | 84.2         | 75.5         | 68.8         | 66.8         | 77.3                   | 231.3                |
| 7                    | 3            | Shaver (288)         | 2.9                 | 4.2      | 0.2                      | 0.4   | 5.9    | 28.0  | 65.5                 | 27.3                     | 176.3                 | 60.6                    | 86.4         | 79.0         | 75.9         | 74.4         | 80.3                   | 262.2                |
| 8                    | 3            | DeKalb (XL Link)     | 3.0                 | 4.0      | 0.5                      | 1.4   | 12.1   | 38.9  | 47.0                 | 26.3                     | 170.0                 | 62.4                    | 85.0         | 78.8         | 72.5         | 69.8         | 78.3                   | 258.0                |
| 9                    | 3            | DeKalb (Amber Link)  | 3.1                 | 5.2      | 0.1                      | 0.3   | 3.1    | 25.6  | 70.9                 | 27.6                     | 210.0                 | 37.7                    | 84.0         | 78.4         | 76.3         | 74.6         | 78.9                   | 238.1                |
| 10                   | 3            | H & N ("Nick Chick") | 3.0                 | 3.7      | 0.8                      | 2.4   | 17.7   | 44.6  | 34.5                 | 25.5                     | 160.0                 | 70.3                    | 83.8         | 77.0         | 66.9         | 65.6         | 75.5                   | 255.0                |
| 0                    | 3            | Average              | 3.0                 | 4.2      | 0.5                      | 1.3   | 11.6   | 35.7  | 50.9                 | 26.5                     | 173.7                 | 62.6                    | 84.1         | 76.3         | 71.4         | 69.4         | 77.3                   | 251.6                |
| Breeder Program Feed |              |                      |                     |          |                          |       |        |       |                      |                          |                       |                         |              |              |              |              |                        |                      |
| 1                    | 4            | Hubbard (Gld. Comet) | 3.2                 | 4.6      | 0.1                      | 0.7   | 8.4    | 34.4  | 56.4                 | 26.5                     | 177.0                 | 57.5                    | 82.8         | 73.5         | 69.3         | 68.2         | 75.4                   | 246.2                |
| 2                    | 4            | Babcock (B-300V)     | 2.7                 | 3.7      | 3.0                      | 0.9   | 13.9   | 41.7  | 40.5                 | 25.3                     | 165.7                 | 65.3                    | 82.5         | 72.7         | 70.7         | 70.7         | 74.8                   | 252.2                |
| 3                    | 4            | Babcock (B-380)      | 3.5                 | 5.1      | 0.1                      | 0.5   | 5.7    | 19.5  | 74.2                 | 28.2                     | 174.0                 | 63.5                    | 86.4         | 77.3         | 70.4         | 68.3         | 79.1                   | 257.8                |
| 4                    | 4            | Euribrid (Hisex Wh.) | 2.9                 | 4.0      | 0.9                      | 3.0   | 19.5   | 41.7  | 34.9                 | 25.2                     | 152.3                 | 79.0                    | 83.5         | 75.1         | 73.8         | 73.3         | 77.4                   | 266.2                |
| 5                    | 4            | Tatum (T-100)        | 3.0                 | 4.4      | 0.4                      | 1.7   | 14.0   | 38.7  | 45.2                 | 26.4                     | 164.3                 | 69.2                    | 77.9         | 71.2         | 64.0         | 62.6         | 72.5                   | 242.5                |
| 6                    | 4            | Hy Line (W-36)       | 2.8                 | 4.0      | 0.5                      | 1.9   | 13.7   | 36.9  | 47.1                 | 26.1                     | 176.7                 | 61.1                    | 84.4         | 76.2         | 70.5         | 67.3         | 77.5                   | 237.6                |
| 7                    | 4            | Shaver (288)         | 3.0                 | 4.3      | 0.2                      | 0.2   | 6.6    | 20.2  | 72.8                 | 27.9                     | 171.3                 | 62.3                    | 88.8         | 72.6         | 72.6         | 71.8         | 77.8                   | 246.7                |
| 8                    | 4            | DeKalb (XL Link)     | 2.8                 | 4.1      | 0.3                      | 1.4   | 14.0   | 41.0  | 43.3                 | 26.0                     | 169.7                 | 65.2                    | 89.2         | 79.5         | 73.7         | 72.1         | 80.5                   | 265.1                |
| 9                    | 4            | DeKalb (Amber Link)  | 3.2                 | 5.2      | 0.1                      | 0.5   | 4.0    | 30.0  | 65.3                 | 27.4                     | 199.3                 | 38.1                    | 85.3         | 75.9         | 76.0         | 76.1         | 78.4                   | 241.9                |
| 10                   | 4            | H & N ("Nick Chick") | 2.9                 | 3.7      | 0.8                      | 1.9   | 18.5   | 46.9  | 31.8                 | 25.3                     | 161.3                 | 69.4                    | 85.1         | 77.5         | 69.8         | 66.1         | 77.0                   | 251.9                |
| 0                    | 4            | Average              | 3.0                 | 4.3      | 0.6                      | 1.3   | 11.8   | 35.1  | 51.2                 | 26.4                     | 171.2                 | 63.1                    | 84.6         | 75.2         | 71.1         | 69.7         | 77.1                   | 250.8                |



TABLE 20-4D-I. Body Weight, Egg Size, Maturity and Production Rate

| Entry No.         | Breeder | Average Body Weight  |          | % Egg Size, Distribution |       |        |       |                      | Average Egg Wt. |                       | Egg Production Rate - % |              |              |              |              | Eggs Per Pullet Housed |                      |       |
|-------------------|---------|----------------------|----------|--------------------------|-------|--------|-------|----------------------|-----------------|-----------------------|-------------------------|--------------|--------------|--------------|--------------|------------------------|----------------------|-------|
|                   |         | 147 Days             | 497 Days | Pee Wee                  | Small | Medium | Large | Extra Large and Over | Oz./Doz.        | Age at 50% Production | 148-231 Days            | 232-315 Days | 316-399 Days | 400-497 Days | 456-497 Days |                        | After 50% Production |       |
|                   |         |                      |          |                          |       |        |       |                      |                 |                       |                         |              |              |              |              |                        |                      |       |
| 4 Treatment Means |         |                      |          |                          |       |        |       |                      |                 |                       |                         |              |              |              |              |                        |                      |       |
| 1                 | 0       | Hubbard (Gld. Comet) | 3.1      | 4.8                      | 0.2   | 1.1    | 11.3  | 35.3                 | 52.0            | 26.4                  | 175.1                   | 63.7         | 83.5         | 73.3         | 66.6         | 64.6                   | 75.8                 | 244.5 |
| 2                 | 0       | Babcock (B-300V)     | 2.7      | 3.7                      | 1.4   | 1.8    | 15.7  | 43.2                 | 38.0            | 25.4                  | 165.7                   | 69.5         | 84.0         | 74.8         | 67.7         | 65.3                   | 76.4                 | 253.4 |
| 3                 | 0       | Babcock (B-380)      | 3.5      | 5.0                      | 0.2   | 0.6    | 6.6   | 24.2                 | 68.4            | 27.8                  | 170.3                   | 67.4         | 85.8         | 76.6         | 69.0         | 66.4                   | 78.5                 | 257.1 |
| 4                 | 0       | Euribrid (Hisex Wh.) | 2.8      | 3.9                      | 1.2   | 3.0    | 21.3  | 43.8                 | 30.6            | 24.9                  | 157.0                   | 79.0         | 86.1         | 78.0         | 72.9         | 69.0                   | 79.8                 | 269.8 |
| 5                 | 0       | Tatum (T-100)        | 2.9      | 4.1                      | 0.6   | 2.0    | 15.7  | 39.6                 | 42.2            | 25.9                  | 165.3                   | 70.8         | 81.8         | 72.2         | 63.3         | 60.2                   | 74.5                 | 244.2 |
| 6                 | 0       | Hy Line (W-36)       | 2.8      | 3.9                      | 0.6   | 3.1    | 18.7  | 41.2                 | 36.4            | 25.4                  | 174.4                   | 62.0         | 84.0         | 75.0         | 65.6         | 61.7                   | 76.3                 | 223.5 |
| 7                 | 0       | Shaver (288)         | 2.9      | 4.2                      | 0.3   | 0.6    | 8.0   | 29.0                 | 62.1            | 27.0                  | 169.0                   | 68.8         | 89.4         | 78.7         | 70.1         | 65.2                   | 80.3                 | 258.9 |
| 8                 | 0       | DeKalb (XL Link)     | 2.8      | 3.9                      | 0.5   | 1.6    | 15.8  | 41.7                 | 40.5            | 25.7                  | 168.0                   | 69.1         | 89.1         | 80.5         | 70.6         | 66.4                   | 80.7                 | 263.4 |
| 9                 | 0       | DeKalb (Amber Link)  | 3.2      | 5.4                      | 0.4   | 0.8    | 6.9   | 32.3                 | 59.6            | 26.9                  | 188.1                   | 51.1         | 85.0         | 76.8         | 72.0         | 69.7                   | 78.3                 | 245.4 |
| 10                | 0       | H & N ("Nick Chick") | 2.8      | 3.7                      | 0.8   | 2.1    | 18.9  | 45.1                 | 33.2            | 25.3                  | 161.7                   | 72.6         | 84.9         | 76.2         | 67.3         | 63.6                   | 77.0                 | 255.9 |
| 0                 | 0       | Average              | 3.0      | 4.3                      | 0.6   | 1.7    | 13.9  | 37.5                 | 46.3            | 26.1                  | 169.5                   | 67.4         | 85.4         | 76.2         | 68.5         | 65.2                   | 77.8                 | 251.6 |

TABLE 20-4A-II. Birds, Mortality, Feed Use, and Cost and Income Data

| Entry No.             | Type Housing | Number Of Birds |        | Mortality      |              |                | Feed Consumed                 |          |            |                            |                   | Chick Price | Value Per Pullet Housed |      |      |       |      | IOFCC |                  |
|-----------------------|--------------|-----------------|--------|----------------|--------------|----------------|-------------------------------|----------|------------|----------------------------|-------------------|-------------|-------------------------|------|------|-------|------|-------|------------------|
|                       |              |                 |        |                |              |                |                               |          |            |                            |                   |             | Growing Feed Cost       |      |      |       |      |       | Laying Feed Cost |
|                       |              | At One Week     | Housed | At End of Test | % 8-147 Days | % 148-497 Days | Ave. Days Lost/<br>Hen Housed | Per Bird | 1-147 Days | Per 100 Birds<br>(One Day) | Per Pound of Eggs |             | Per Dozen Eggs          |      |      |       |      |       |                  |
| Phased Feed           |              |                 |        |                |              |                |                               |          |            |                            |                   |             |                         |      |      |       |      |       |                  |
| 1                     | 1            | 90              | 90     | 80             | 0.0          | 11.1           | 18.2                          | 13.8     | 23.9       | 2.47                       | 4.01              | 0.38        | 1.09                    | 6.47 | 7.94 | 10.78 | 0.35 | 3.192 |                  |
| 2                     | 1            | 90              | 90     | 84             | 0.6          | 6.7            | 9.0                           | 13.5     | 21.4       | 2.21                       | 3.50              | 0.38        | 1.06                    | 6.08 | 7.52 | 10.95 | 0.29 | 3.716 |                  |
| 3                     | 1            | 88              | 86     | 84             | 1.6          | 2.2            | 4.7                           | 15.4     | 25.9       | 2.48                       | 4.21              | 0.38        | 1.23                    | 7.19 | 8.81 | 11.06 | 0.40 | 2.652 |                  |
| 4                     | 1            | 90              | 90     | 83             | 0.5          | 7.8            | 8.5                           | 12.8     | 23.3       | 2.24                       | 3.45              | 0.38        | 1.01                    | 6.43 | 7.83 | 11.41 | 0.30 | 3.876 |                  |
| 5                     | 1            | 82              | 81     | 74             | 2.3          | 8.6            | 14.1                          | 15.4     | 21.4       | 2.36                       | 3.79              | 0.38        | 1.18                    | 6.21 | 7.78 | 10.32 | 0.31 | 2.850 |                  |
| 6                     | 1            | 92              | 90     | 68             | 2.1          | 24.4           | 51.2                          | 13.2     | 20.9       | 2.24                       | 3.48              | 0.38        | 1.05                    | 5.01 | 6.45 | 9.15  | 0.24 | 2.945 |                  |
| 7                     | 1            | 91              | 90     | 86             | 0.9          | 4.4            | 11.4                          | 14.2     | 23.7       | 2.19                       | 3.64              | 0.38        | 1.12                    | 6.69 | 8.19 | 11.51 | 0.31 | 3.632 |                  |
| 8                     | 1            | 90              | 90     | 84             | 0.3          | 6.7            | 10.9                          | 13.9     | 22.6       | 2.14                       | 3.39              | 0.38        | 1.10                    | 6.30 | 7.77 | 11.75 | 0.29 | 4.267 |                  |
| 9                     | 1            | 91              | 90     | 87             | 0.6          | 3.3            | 6.0                           | 14.6     | 27.1       | 2.70                       | 4.45              | 0.38        | 1.15                    | 7.37 | 8.91 | 10.94 | 0.45 | 2.469 |                  |
| 10                    | 1            | 91              | 90     | 89             | 0.8          | 1.1            | 1.9                           | 13.3     | 23.1       | 2.32                       | 3.66              | 0.38        | 1.04                    | 6.64 | 8.07 | 11.38 | 0.31 | 3.612 |                  |
| 0                     | 1            | 90              | 89     | 82             | 1.0          | 7.6            | 13.6                          | 14.0     | 23.3       | 2.33                       | 3.76              | 0.38        | 1.10                    | 6.44 | 7.93 | 10.92 | 0.33 | 3.322 |                  |
| Breeders Program Feed |              |                 |        |                |              |                |                               |          |            |                            |                   |             |                         |      |      |       |      |       |                  |
| 1                     | 2            | 90              | 90     | 83             | 0.0          | 5.6            | 13.2                          | 13.8     | 24.2       | 2.44                       | 4.00              | 0.38        | 1.09                    | 6.56 | 8.02 | 10.72 | 0.37 | 3.057 |                  |
| 2                     | 2            | 90              | 90     | 88             | 0.3          | 2.2            | 3.1                           | 13.6     | 21.7       | 2.24                       | 3.52              | 0.38        | 1.07                    | 6.33 | 7.78 | 11.13 | 0.30 | 3.642 |                  |
| 3                     | 2            | 82              | 81     | 77             | 2.0          | 4.9            | 6.9                           | 15.5     | 25.7       | 2.36                       | 4.05              | 0.38        | 1.23                    | 6.91 | 8.53 | 10.96 | 0.38 | 2.814 |                  |
| 4                     | 2            | 90              | 90     | 83             | 0.3          | 7.8            | 12.2                          | 13.2     | 24.3       | 2.33                       | 3.62              | 0.38        | 1.04                    | 6.53 | 7.95 | 11.13 | 0.30 | 3.476 |                  |
| 5                     | 2            | 85              | 84     | 78             | 1.1          | 7.0            | 10.6                          | 14.9     | 22.2       | 2.34                       | 3.74              | 0.38        | 1.16                    | 6.29 | 7.83 | 10.67 | 0.31 | 3.146 |                  |
| 6                     | 2            | 93              | 90     | 73             | 2.4          | 18.9           | 40.6                          | 12.9     | 20.8       | 2.31                       | 3.60              | 0.38        | 1.03                    | 5.39 | 6.81 | 9.38  | 0.26 | 2.831 |                  |
| 7                     | 2            | 90              | 90     | 81             | 0.9          | 10.0           | 16.2                          | 14.2     | 24.1       | 2.30                       | 3.78              | 0.38        | 1.12                    | 6.55 | 8.05 | 11.19 | 0.31 | 3.452 |                  |
| 8                     | 2            | 90              | 90     | 83             | 0.3          | 7.8            | 13.4                          | 14.2     | 22.5       | 2.24                       | 3.54              | 0.38        | 1.12                    | 6.23 | 7.73 | 11.19 | 0.29 | 3.755 |                  |
| 9                     | 2            | 90              | 90     | 82             | 0.3          | 8.9            | 9.9                           | 14.6     | 26.8       | 2.62                       | 4.32              | 0.38        | 1.15                    | 7.10 | 8.62 | 10.93 | 0.42 | 2.722 |                  |
| 10                    | 2            | 90              | 90     | 82             | 0.9          | 8.9            | 11.2                          | 13.2     | 22.6       | 2.33                       | 3.66              | 0.38        | 1.04                    | 6.26 | 7.69 | 10.69 | 0.28 | 3.286 |                  |
| 0                     | 2            | 89              | 89     | 81             | 0.8          | 8.2            | 13.7                          | 14.0     | 23.5       | 2.35                       | 3.78              | 0.38        | 1.10                    | 6.41 | 7.90 | 10.80 | 0.32 | 3.218 |                  |

TABLE 20-4C-II. Birds, Mortality, Feed Use, and Cost and Income Data

| Entry No.             | Type Housing | Number of Birds |        | Mortality      |              | Feed Consumed  |                               |                        |                            |                   | Chick Price | Value Per Pullet Housed |                   |                  |                              |               | IOFCC |               |
|-----------------------|--------------|-----------------|--------|----------------|--------------|----------------|-------------------------------|------------------------|----------------------------|-------------------|-------------|-------------------------|-------------------|------------------|------------------------------|---------------|-------|---------------|
|                       |              | At One Week     | Housed | At End of Test | % 8-147 Days | % 148-497 Days | Ave. Days Lost/<br>Hen Housed | Per Bird<br>1-147 Days | Per 100 Birds<br>(One Day) | Per Pound of Eggs |             | Per Dozen Eggs          | Growing Feed Cost | Laying Feed Cost | Total Feed and<br>Chick Cost | Value of Eggs |       | Value of Meat |
|                       |              |                 |        |                |              |                |                               |                        |                            |                   |             |                         |                   |                  |                              |               |       |               |
| Phased Feed           |              |                 |        |                |              |                |                               |                        |                            |                   |             |                         |                   |                  |                              |               |       |               |
| 1                     | 3            | 78              | 78     | 76             | 0.6          | 2.6            | 0.4                           | 13.5                   | 23.8                       | 2.47              | 4.13        | 1.06                    | 6.65              | 8.10             | 10.64                        | 0.38          | 2.924 |               |
| 2                     | 3            | 79              | 78     | 75             | 1.1          | 3.8            | 10.0                          | 13.4                   | 23.5                       | 2.40              | 3.91        | 1.06                    | 6.49              | 7.94             | 10.52                        | 0.31          | 2.889 |               |
| 3                     | 3            | 65              | 63     | 62             | 4.6          | 1.5            | 4.7                           | 16.5                   | 26.3                       | 2.48              | 4.42        | 1.25                    | 7.52              | 9.18             | 10.91                        | 0.41          | 2.138 |               |
| 4                     | 3            | 80              | 78     | 76             | 2.1          | 2.6            | 2.9                           | 13.6                   | 23.6                       | 2.32              | 3.63        | 1.08                    | 6.60              | 8.07             | 11.37                        | 0.29          | 3.597 |               |
| 5                     | 3            | 61              | 59     | 56             | 4.0          | 5.1            | 8.3                           | 16.2                   | 25.0                       | 2.59              | 4.21        | 1.26                    | 7.03              | 8.69             | 10.75                        | 0.32          | 2.383 |               |
| 6                     | 3            | 78              | 78     | 66             | 0.6          | 15.4           | 31.9                          | 12.9                   | 23.0                       | 2.39              | 3.85        | 1.01                    | 5.99              | 7.39             | 10.09                        | 0.26          | 2.962 |               |
| 7                     | 3            | 79              | 77     | 75             | 1.1          | 2.6            | 2.7                           | 13.8                   | 25.7                       | 2.40              | 4.10        | 1.08                    | 7.22              | 8.69             | 11.27                        | 0.34          | 2.916 |               |
| 8                     | 3            | 78              | 78     | 75             | 0.16         | 3.8            | 3.9                           | 13.4                   | 23.8                       | 2.33              | 3.83        | 1.06                    | 6.65              | 8.09             | 11.05                        | 0.31          | 3.276 |               |
| 9                     | 3            | 78              | 78     | 76             | 0.0          | 2.6            | 5.9                           | 13.9                   | 26.5                       | 2.55              | 4.41        | 1.09                    | 6.94              | 8.41             | 10.33                        | 0.42          | 2.343 |               |
| 10                    | 3            | 71              | 71     | 67             | 0.0          | 5.6            | 6.5                           | 14.1                   | 23.7                       | 2.47              | 3.94        | 1.11                    | 6.73              | 8.22             | 10.70                        | 0.29          | 2.772 |               |
| 0                     | 3            | 75              | 74     | 70             | 1.5          | 4.6            | 7.7                           | 14.1                   | 24.5                       | 2.44              | 4.04        | 1.11                    | 6.78              | 8.28             | 10.76                        | 0.33          | 2.820 |               |
| Breeders Program Feed |              |                 |        |                |              |                |                               |                        |                            |                   |             |                         |                   |                  |                              |               |       |               |
| 1                     | 4            | 79              | 78     | 77             | 1.1          | 1.3            | 1.9                           | 13.7                   | 22.4                       | 2.40              | 3.98        | 1.07                    | 6.56              | 8.02             | 10.90                        | 0.38          | 3.259 |               |
| 2                     | 4            | 79              | 78     | 73             | 1.1          | 6.4            | 10.6                          | 13.4                   | 22.9                       | 2.39              | 3.86        | 1.06                    | 6.38              | 7.83             | 10.70                        | 0.28          | 3.152 |               |
| 3                     | 4            | 67              | 63     | 62             | 4.6          | 1.7            | 2.9                           | 16.0                   | 25.6                       | 2.49              | 4.38        | 1.25                    | 7.39              | 9.04             | 10.94                        | 0.41          | 2.304 |               |
| 4                     | 4            | 79              | 78     | 74             | 1.8          | 5.1            | 7.4                           | 13.7                   | 23.8                       | 2.35              | 3.72        | 1.08                    | 6.59              | 8.06             | 10.90                        | 0.32          | 3.160 |               |
| 5                     | 4            | 63              | 60     | 57             | 4.0          | 5.1            | 5.5                           | 16.2                   | 23.1                       | 2.50              | 4.12        | 1.26                    | 6.69              | 8.34             | 10.62                        | 0.34          | 2.618 |               |
| 6                     | 4            | 79              | 78     | 71             | 0.6          | 9.0            | 23.9                          | 12.9                   | 22.7                       | 2.32              | 3.79        | 1.01                    | 6.07              | 7.47             | 10.34                        | 0.30          | 3.169 |               |
| 7                     | 4            | 79              | 78     | 72             | 1.1          | 7.7            | 16.6                          | 13.8                   | 25.5                       | 2.39              | 4.17        | 1.08                    | 6.90              | 8.27             | 10.59                        | 0.33          | 2.543 |               |
| 8                     | 4            | 79              | 78     | 75             | 0.6          | 3.8            | 4.9                           | 13.4                   | 24.9                       | 2.32              | 3.76        | 1.06                    | 6.71              | 8.15             | 11.36                        | 0.32          | 3.534 |               |
| 9                     | 4            | 79              | 78     | 78             | 0.6          | 0.0            | 0.0                           | 13.9                   | 26.4                       | 2.62              | 4.49        | 1.09                    | 7.14              | 8.61             | 10.61                        | 0.43          | 2.424 |               |
| 10                    | 4            | 71              | 71     | 66             | 0.0          | 6.9            | 14.5                          | 14.1                   | 23.9                       | 2.48              | 3.93        | 1.11                    | 6.62              | 8.13             | 10.72                        | 0.38          | 2.875 |               |
| 0                     | 4            | 75              | 74     | 70             | 1.6          | 4.7            | 8.8                           | 14.1                   | 24.1                       | 2.43              | 4.02        | 1.11                    | 6.70              | 8.20             | 10.77                        | 0.34          | 2.904 |               |

TABLE 20-4D-II. Birds, Mortality, Feed Use, and Cost and Income Data

| Entry No.         | Type Housing | Number of Birds |                          | Mortality    |                | Feed Consumed                 |                        |                            |                   |                | Chick Price | Value Per Pullet Housed |                  |                              |               |               | IOFCC |
|-------------------|--------------|-----------------|--------------------------|--------------|----------------|-------------------------------|------------------------|----------------------------|-------------------|----------------|-------------|-------------------------|------------------|------------------------------|---------------|---------------|-------|
|                   |              | At One Week     | Housed<br>At End of Test | % 8-147 Days | % 148-497 Days | Ave. Days Lost/<br>Hen Housed | Per Bird<br>1-147 Days | Per 100 Birds<br>(One Day) | Per Pound of Eggs | Per Dozen Eggs |             | Growing Feed Cost       | Laying Feed Cost | Total Feed and<br>Chick Cost | Value of Eggs | Value of Meat |       |
|                   |              |                 |                          |              |                |                               |                        |                            |                   |                |             |                         |                  |                              |               |               |       |
| 4 Treatment Means |              |                 |                          |              |                |                               |                        |                            |                   |                |             |                         |                  |                              |               |               |       |
| 1                 | 0            | 337             | 336                      | 316          | 0.4            | 5.1                           | 8.4                    | 13.7                       | 23.6              | 2.45           | 4.03        | 1.08                    | 6.56             | 8.02                         | 10.76         | 0.37          | 3.108 |
| 2                 | 0            | 338             | 336                      | 320          | 0.8            | 4.8                           | 8.2                    | 13.5                       | 22.4              | 2.31           | 3.70        | 1.06                    | 6.32             | 7.77                         | 10.82         | 0.29          | 3.350 |
| 3                 | 0            | 302             | 293                      | 285          | 3.2            | 2.6                           | 4.8                    | 15.9                       | 25.9              | 2.45           | 4.26        | 1.24                    | 7.25             | 8.89                         | 10.97         | 0.40          | 2.477 |
| 4                 | 0            | 339             | 336                      | 316          | 1.2            | 5.8                           | 7.7                    | 13.3                       | 23.7              | 2.31           | 3.60        | 1.05                    | 6.54             | 7.98                         | 11.20         | 0.30          | 3.527 |
| 5                 | 0            | 291             | 284                      | 265          | 2.8            | 6.5                           | 9.6                    | 15.7                       | 22.9              | 2.45           | 3.97        | 1.21                    | 6.55             | 8.16                         | 10.59         | 0.32          | 2.748 |
| 6                 | 0            | 342             | 336                      | 278          | 1.4            | 16.9                          | 36.9                   | 13.0                       | 21.8              | 2.31           | 3.68        | 1.03                    | 5.61             | 7.03                         | 9.74          | 0.26          | 2.977 |
| 7                 | 0            | 339             | 335                      | 314          | 1.0            | 6.2                           | 11.7                   | 14.0                       | 24.7              | 2.32           | 3.92        | 1.10                    | 6.84             | 8.33                         | 11.14         | 0.32          | 3.136 |
| 8                 | 0            | 337             | 336                      | 317          | 0.4            | 5.5                           | 8.3                    | 13.7                       | 23.4              | 2.26           | 3.63        | 1.08                    | 6.47             | 7.94                         | 11.34         | 0.30          | 3.708 |
| 9                 | 0            | 338             | 336                      | 323          | 0.4            | 3.7                           | 5.4                    | 14.3                       | 26.7              | 2.62           | 4.42        | 1.12                    | 7.14             | 8.64                         | 10.70         | 0.43          | 2.492 |
| 10                | 0            | 323             | 322                      | 304          | 0.4            | 5.6                           | 8.5                    | 13.7                       | 23.3              | 2.40           | 3.79        | 1.08                    | 6.56             | 8.03                         | 10.87         | 0.29          | 3.136 |
| 0                 | 0            | 329             | 325                      | 304          | 1.2            | 6.3                           | 11.0                   | 14.1                       | 23.9              | 2.39           | 3.90        | 1.11                    | 6.58             | 8.08                         | 10.81         | 0.33          | 3.066 |

TABLE 20-4A-III. Egg Quality Data

| Entry No.             | Loss % (Downgrades) |              | % Inclusion (Break-Out) |             | Candled Quality Percentages |      |           |                 |           | Haugh Units |          |       |      |         | Shell Score (Specific Gravity) |         |       |      |         |      |      |
|-----------------------|---------------------|--------------|-------------------------|-------------|-----------------------------|------|-----------|-----------------|-----------|-------------|----------|-------|------|---------|--------------------------------|---------|-------|------|---------|------|------|
|                       |                     |              |                         |             | A or Better                 | B    | C Quality | Chex and Cracks | Loss Eggs | October     | December | March | June | Average | October                        | January | April | July | Average |      |      |
|                       | Large Bloods        | Small Bloods | Large Meats             | Small Meats |                             |      |           |                 |           |             |          |       |      |         |                                |         |       |      |         |      |      |
| Phased Feed           |                     |              |                         |             |                             |      |           |                 |           |             |          |       |      |         |                                |         |       |      |         |      |      |
| 1                     | 1                   | 2.5          | 2.8                     | 1.8         | 17.4                        | 16.3 | 95.4      | 2.2             | 0.0       | 1.9         | 0.5      | 83.0  | 76.5 | 71.6    | 72.6                           | 75.9    | 2.34  | 2.46 | 1.60    | 1.51 | 1.98 |
| 2                     | 1                   | 3.2          | 0.9                     | 0.5         | 0.1                         | 0.5  | 94.1      | 3.6             | 0.4       | 1.2         | 0.8      | 84.0  | 75.9 | 75.5    | 72.8                           | 77.0    | 3.40  | 3.75 | 2.91    | 1.57 | 2.91 |
| 3                     | 1                   | 5.6          | 2.3                     | 2.0         | 11.8                        | 10.5 | 89.6      | 2.9             | 0.0       | 6.4         | 1.1      | 88.3  | 79.2 | 75.5    | 73.7                           | 79.2    | 1.52  | 1.63 | 1.31    | 1.24 | 1.42 |
| 4                     | 1                   | 5.4          | 0.3                     | 1.6         | 0.3                         | 0.8  | 89.4      | 6.5             | 0.5       | 2.8         | 0.8      | 82.2  | 76.8 | 73.0    | 70.9                           | 75.7    | 2.70  | 2.66 | 1.72    | 1.55 | 2.16 |
| 5                     | 1                   | 4.1          | 2.0                     | 1.3         | 0.2                         | 0.2  | 91.5      | 4.3             | 0.3       | 3.3         | 0.6      | 87.5  | 75.9 | 78.7    | 73.9                           | 79.0    | 2.23  | 2.52 | 1.57    | 1.49 | 1.95 |
| 6                     | 1                   | 2.4          | 1.1                     | 1.3         | 0.0                         | 0.2  | 95.1      | 3.3             | 0.0       | 1.4         | 0.2      | 83.4  | 74.7 | 68.4    | 67.3                           | 73.5    | 2.52  | 3.34 | 2.14    | 1.95 | 2.49 |
| 7                     | 1                   | 6.0          | 1.0                     | 1.0         | 0.5                         | 0.0  | 88.9      | 5.1             | 0.6       | 4.3         | 1.3      | 84.3  | 77.8 | 73.0    | 72.6                           | 65.9    | 2.59  | 2.90 | 1.94    | 1.46 | 2.22 |
| 9                     | 1                   | 3.2          | 0.7                     | 0.3         | 0.3                         | 0.1  | 93.5      | 3.1             | 0.0       | 3.0         | 0.3      | 86.2  | 77.9 | 72.9    | 70.6                           | 76.9    | 2.49  | 3.19 | 2.08    | 1.77 | 2.38 |
| 10                    | 1                   | 3.7          | 3.3                     | 1.9         | 12.8                        | 7.5  | 93.4      | 2.2             | 0.0       | 3.4         | 1.0      | 88.6  | 80.6 | 79.5    | 76.3                           | 81.3    | 1.55  | 2.08 | 1.44    | 1.19 | 1.57 |
| 10                    | 1                   | 4.8          | 0.7                     | 0.7         | 0.7                         | 0.3  | 90.5      | 6.5             | 0.7       | 1.8         | 0.5      | 85.4  | 80.0 | 74.8    | 71.9                           | 78.0    | 3.12  | 3.64 | 2.50    | 2.19 | 2.86 |
| 0                     | 1                   | 4.1          | 1.5                     | 1.2         | 4.4                         | 3.6  | 92.1      | 4.0             | 0.2       | 3.0         | 0.7      | 85.3  | 77.5 | 74.3    | 72.3                           | 77.3    | 2.44  | 2.82 | 1.92    | 1.59 | 2.19 |
| Breeders Program Feed |                     |              |                         |             |                             |      |           |                 |           |             |          |       |      |         |                                |         |       |      |         |      |      |
| 1                     | 2                   | 3.1          | 3.4                     | 2.2         | 14.1                        | 13.9 | 94.0      | 2.5             | 0.1       | 2.9         | 0.5      | 86.7  | 76.2 | 72.1    | 72.7                           | 76.9    | 1.84  | 2.35 | 1.58    | 1.53 | 1.82 |
| 2                     | 2                   | 4.3          | 0.9                     | 0.3         | 0.3                         | 0.3  | 92.3      | 4.4             | 0.5       | 2.1         | 0.8      | 83.3  | 75.3 | 71.7    | 69.7                           | 75.0    | 3.72  | 4.01 | 2.82    | 2.27 | 3.21 |
| 3                     | 2                   | 6.6          | 2.2                     | 1.7         | 10.7                        | 14.1 | 88.2      | 3.8             | 0.3       | 5.9         | 1.9      | 90.0  | 82.4 | 75.1    | 74.4                           | 80.5    | 1.65  | 1.67 | 1.27    | 1.34 | 1.48 |
| 4                     | 2                   | 5.6          | 1.4                     | 1.2         | 0.9                         | 1.4  | 89.6      | 4.9             | 0.9       | 3.4         | 1.2      | 84.1  | 75.9 | 70.8    | 71.1                           | 75.5    | 2.73  | 2.76 | 1.97    | 2.04 | 2.37 |
| 5                     | 2                   | 3.1          | 1.6                     | 0.7         | 0.3                         | 0.6  | 94.2      | 2.9             | 0.1       | 2.1         | 0.6      | 85.5  | 78.3 | 77.3    | 73.4                           | 78.6    | 2.20  | 2.40 | 1.61    | 1.49 | 1.92 |
| 6                     | 2                   | 2.0          | 1.2                     | 1.2         | 0.9                         | 0.2  | 95.7      | 2.4             | 0.1       | 1.8         | 0.0      | 85.6  | 74.3 | 68.2    | 62.8                           | 72.7    | 2.78  | 3.06 | 2.09    | 1.30 | 2.31 |
| 7                     | 2                   | 4.8          | 1.1                     | 1.5         | 0.4                         | 0.5  | 90.9      | 3.5             | 0.5       | 4.6         | 0.6      | 86.3  | 78.1 | 71.2    | 71.4                           | 76.7    | 2.69  | 2.99 | 2.03    | 1.54 | 2.31 |
| 8                     | 2                   | 4.4          | 0.7                     | 1.6         | 0.0                         | 0.0  | 90.9      | 4.4             | 0.0       | 4.4         | 0.2      | 83.6  | 77.5 | 72.6    | 71.0                           | 76.2    | 2.99  | 3.11 | 1.85    | 1.53 | 2.37 |
| 9                     | 2                   | 4.2          | 2.9                     | 2.9         | 11.8                        | 7.9  | 92.8      | 1.3             | 0.0       | 4.5         | 1.2      | 89.1  | 80.4 | 76.7    | 70.8                           | 79.2    | 1.60  | 2.05 | 1.30    | 1.31 | 1.57 |
| 10                    | 2                   | 4.5          | 0.6                     | 0.1         | 0.1                         | 0.1  | 90.9      | 6.3             | 0.7       | 1.8         | 0.3      | 86.3  | 80.4 | 72.7    | 73.8                           | 78.3    | 3.29  | 3.70 | 2.86    | 2.12 | 2.99 |
| 0                     | 2                   | 4.3          | 1.6                     | 1.3         | 3.9                         | 3.9  | 91.9      | 3.7             | 0.3       | 3.4         | 0.7      | 86.1  | 77.9 | 72.8    | 71.1                           | 77.0    | 2.55  | 2.81 | 1.94    | 1.65 | 2.24 |



TABLE 20-4C-III. Egg Quality Data

| Entry No.             | Type Housing | Loss % (Downgrades) |              | % Inclusion (Break-Out) |             | Candled Quality Percentages |      |           |                 |           | Haugh Units |          |       |      |         | Shell Score (Specific Gravity) |         |       |      |         |      |
|-----------------------|--------------|---------------------|--------------|-------------------------|-------------|-----------------------------|------|-----------|-----------------|-----------|-------------|----------|-------|------|---------|--------------------------------|---------|-------|------|---------|------|
|                       |              |                     |              |                         |             |                             |      |           |                 |           |             |          |       |      |         |                                |         |       |      |         |      |
|                       |              | Large Bloods        | Small Bloods | Large Meats             | Small Meats | A or Better                 | B    | C Quality | Chex and Cracks | Loss Eggs | October     | December | March | June | Average | October                        | January | April | July | Average |      |
| Phased Feed           |              |                     |              |                         |             |                             |      |           |                 |           |             |          |       |      |         |                                |         |       |      |         |      |
| 1                     | 3            | 4.1                 | 1.4          | 1.1                     | 18.9        | 13.4                        | 92.0 | 2.1       | 0.3             | 5.1       | 0.4         | 82.6     | 74.0  | 72.9 | 72.9    | 75.6                           | 3.06    | 2.69  | 2.34 | 1.98    | 2.52 |
| 2                     | 3            | 5.9                 | 1.1          | 0.6                     | 0.3         | 0.3                         | 90.3 | 4.5       | 0.5             | 2.8       | 1.9         | 78.6     | 74.6  | 69.1 | 72.5    | 73.7                           | 4.05    | 4.02  | 3.10 | 2.21    | 3.34 |
| 3                     | 3            | 7.2                 | 0.9          | 1.7                     | 11.2        | 10.7                        | 88.2 | 2.4       | 0.4             | 6.5       | 2.6         | 83.4     | 78.0  | 75.8 | 73.4    | 77.7                           | 1.96    | 1.64  | 1.37 | 1.18    | 1.54 |
| 4                     | 3            | 5.6                 | 1.0          | 0.4                     | 0.5         | 0.3                         | 89.3 | 4.3       | 1.5             | 4.3       | 0.7         | 78.9     | 74.0  | 69.8 | 73.8    | 74.1                           | 3.56    | 3.47  | 2.48 | 1.70    | 2.80 |
| 5                     | 3            | 4.2                 | 2.9          | 2.4                     | 1.2         | 0.8                         | 92.0 | 3.5       | 0.2             | 3.9       | 0.4         | 81.0     | 77.8  | 70.5 | 70.6    | 75.0                           | 2.93    | 2.97  | 2.21 | 1.53    | 2.41 |
| 6                     | 3            | 3.3                 | 1.4          | 0.3                     | 0.3         | 0.3                         | 94.1 | 2.6       | 0.2             | 2.6       | 0.6         | 76.0     | 67.6  | 66.3 | 61.5    | 67.8                           | 3.59    | 3.64  | 2.72 | 2.08    | 3.01 |
| 7                     | 3            | 5.8                 | 1.4          | 1.1                     | 0.4         | 0.7                         | 89.3 | 4.4       | 0.6             | 4.8       | 0.9         | 82.4     | 76.7  | 74.2 | 72.9    | 76.5                           | 3.45    | 3.40  | 2.59 | 1.80    | 2.81 |
| 8                     | 3            | 4.9                 | 1.3          | 0.7                     | 0.1         | 0.1                         | 90.9 | 2.8       | 0.7             | 4.9       | 0.7         | 82.6     | 75.1  | 72.3 | 70.6    | 75.1                           | 3.44    | 3.97  | 2.62 | 1.94    | 2.99 |
| 9                     | 3            | 5.1                 | 1.3          | 2.0                     | 11.4        | 10.6                        | 91.0 | 1.4       | 0.0             | 6.4       | 1.2         | 87.4     | 82.7  | 78.2 | 79.4    | 81.9                           | 2.22    | 2.16  | 1.58 | 1.71    | 1.92 |
| 10                    | 3            | 6.0                 | 1.0          | 1.0                     | 0.0         | 0.3                         | 88.0 | 5.7       | 1.0             | 4.8       | 0.5         | 82.6     | 78.2  | 73.6 | 73.9    | 77.1                           | 3.50    | 3.92  | 2.78 | 2.39    | 3.15 |
| 0                     | 3            | 5.2                 | 1.4          | 1.1                     | 4.5         | 3.8                         | 90.5 | 3.4       | 0.5             | 4.6       | 1.0         | 81.5     | 75.9  | 72.3 | 72.1    | 75.5                           | 3.18    | 3.19  | 2.38 | 1.85    | 2.65 |
| Breeders Program Feed |              |                     |              |                         |             |                             |      |           |                 |           |             |          |       |      |         |                                |         |       |      |         |      |
| 1                     | 4            | 2.8                 | 2.1          | 2.4                     | 17.9        | 13.5                        | 94.5 | 1.7       | 0.0             | 3.3       | 0.5         | 81.1     | 73.7  | 70.7 | 70.6    | 74.0                           | 2.62    | 2.76  | 2.26 | 1.79    | 2.36 |
| 2                     | 4            | 3.8                 | 1.5          | 1.1                     | 1.5         | 0.6                         | 93.1 | 2.9       | 0.2             | 2.9       | 1.0         | 79.1     | 72.5  | 69.5 | 73.0    | 73.5                           | 4.07    | 4.21  | 3.44 | 2.21    | 3.48 |
| 3                     | 4            | 7.2                 | 1.4          | 0.7                     | 11.6        | 7.7                         | 87.5 | 2.1       | 0.3             | 8.5       | 1.7         | 84.1     | 77.1  | 73.7 | 74.1    | 77.3                           | 1.87    | 1.83  | 1.49 | 1.40    | 1.65 |
| 4                     | 4            | 7.5                 | 0.8          | 0.6                     | 0.3         | 0.6                         | 85.3 | 6.6       | 1.1             | 6.1       | 0.9         | 76.8     | 72.6  | 73.4 | 72.4    | 73.8                           | 3.57    | 3.06  | 2.32 | 1.65    | 2.65 |
| 5                     | 4            | 2.8                 | 2.0          | 1.0                     | 0.9         | 0.4                         | 94.7 | 1.8       | 0.4             | 2.7       | 0.4         | 82.5     | 74.9  | 74.8 | 73.3    | 76.4                           | 3.05    | 2.91  | 2.06 | 1.69    | 2.43 |
| 6                     | 4            | 3.4                 | 1.4          | 1.2                     | 0.5         | 0.5                         | 93.4 | 3.0       | 0.0             | 3.3       | 0.3         | 77.6     | 71.6  | 68.7 | 67.0    | 71.2                           | 3.30    | 3.79  | 2.97 | 2.12    | 3.04 |
| 7                     | 4            | 6.3                 | 1.5          | 0.3                     | 0.2         | 0.8                         | 88.5 | 3.3       | 0.3             | 6.8       | 1.1         | 80.5     | 77.8  | 79.7 | 75.1    | 78.3                           | 3.39    | 3.37  | 2.37 | 1.89    | 2.75 |
| 8                     | 4            | 5.1                 | 1.1          | 0.4                     | 0.1         | 0.6                         | 90.6 | 3.1       | 0.8             | 4.5       | 1.0         | 78.1     | 76.3  | 74.6 | 72.4    | 75.4                           | 3.30    | 3.61  | 2.66 | 2.20    | 2.94 |
| 9                     | 4            | 4.0                 | 1.4          | 0.7                     | 11.1        | 10.4                        | 92.2 | 1.6       | 0.0             | 5.9       | 0.3         | 88.5     | 84.5  | 80.2 | 79.6    | 83.2                           | 1.93    | 2.49  | 1.46 | 1.44    | 1.83 |
| 10                    | 4            | 4.7                 | 1.0          | 0.8                     | 1.3         | 1.3                         | 91.5 | 3.3       | 0.7             | 3.8       | 0.8         | 78.7     | 76.1  | 74.8 | 74.4    | 76.0                           | 3.36    | 3.68  | 3.71 | 2.40    | 3.29 |
| 0                     | 4            | 4.8                 | 1.4          | 0.9                     | 4.5         | 3.6                         | 91.1 | 2.9       | 0.4             | 4.8       | 0.8         | 80.7     | 75.7  | 74.0 | 73.2    | 75.9                           | 3.05    | 3.17  | 2.47 | 1.88    | 2.64 |



TABLE 20-4D-III. Egg Quality Data

| Entry No.         | Type Housing | Loss % (Downgrades) |     | % Inclusion (Break-Out) |              |             |             | Candled Quality Percentages |     |           |            |           | Haugh Units |          |       |      |         | Shell Score (Specific Gravity) |         |       |      |         |
|-------------------|--------------|---------------------|-----|-------------------------|--------------|-------------|-------------|-----------------------------|-----|-----------|------------|-----------|-------------|----------|-------|------|---------|--------------------------------|---------|-------|------|---------|
|                   |              |                     |     | Large Bloods            | Small Bloods | Large Meats | Small Meats | A or Better                 | B   | C Quality | Cracks and | Loss Eggs | October     | December | March | June | Average | October                        | January | April | July | Average |
|                   |              |                     |     |                         |              |             |             |                             |     |           |            |           |             |          |       |      |         |                                |         |       |      |         |
| 4 Treatment Means |              |                     |     |                         |              |             |             |                             |     |           |            |           |             |          |       |      |         |                                |         |       |      |         |
| 1                 | 0            | 3.1                 | 2.4 | 1.9                     | 17.1         | 14.3        | 94.0        | 2.1                         | 0.1 | 3.3       | 0.5        | 83.3      | 75.1        | 71.8     | 72.2  | 75.6 | 2.46    | 2.57                           | 1.95    | 1.70  | 2.17 |         |
| 2                 | 0            | 4.3                 | 1.1 | 0.6                     | 0.7          | 0.4         | 92.4        | 3.8                         | 0.4 | 2.3       | 1.1        | 81.3      | 74.6        | 71.4     | 72.0  | 74.8 | 3.81    | 4.00                           | 3.07    | 2.06  | 3.23 |         |
| 3                 | 0            | 6.7                 | 1.7 | 1.5                     | 11.3         | 10.7        | 88.3        | 2.8                         | 0.2 | 6.8       | 1.8        | 86.4      | 79.2        | 75.0     | 73.9  | 78.6 | 1.75    | 1.69                           | 1.36    | 1.29  | 1.52 |         |
| 4                 | 0            | 6.0                 | 0.9 | 0.9                     | 0.5          | 0.8         | 88.4        | 5.6                         | 1.0 | 4.2       | 0.9        | 80.5      | 74.8        | 71.7     | 72.0  | 74.8 | 3.14    | 2.99                           | 2.12    | 1.73  | 2.50 |         |
| 5                 | 0            | 3.6                 | 2.1 | 1.3                     | 0.6          | 0.5         | 93.1        | 3.1                         | 0.2 | 3.0       | 0.5        | 84.1      | 76.7        | 75.3     | 72.8  | 77.2 | 2.60    | 2.70                           | 1.86    | 1.55  | 2.18 |         |
| 6                 | 0            | 2.8                 | 1.3 | 1.0                     | 0.4          | 0.3         | 94.6        | 2.8                         | 0.1 | 2.3       | 0.3        | 80.7      | 72.1        | 67.9     | 64.7  | 71.3 | 3.05    | 3.46                           | 2.48    | 1.86  | 2.71 |         |
| 7                 | 0            | 5.7                 | 1.2 | 1.0                     | 0.4          | 0.5         | 89.4        | 4.1                         | 0.5 | 5.1       | 1.0        | 83.4      | 77.6        | 74.5     | 73.0  | 77.1 | 3.03    | 3.16                           | 2.23    | 1.67  | 2.52 |         |
| 8                 | 0            | 4.4                 | 1.0 | 0.8                     | 0.1          | 0.2         | 91.5        | 3.4                         | 0.4 | 4.2       | 0.6        | 82.6      | 76.7        | 73.1     | 71.2  | 75.9 | 3.05    | 3.47                           | 2.30    | 1.86  | 2.67 |         |
| 9                 | 0            | 4.2                 | 2.2 | 1.9                     | 11.8         | 9.1         | 92.4        | 1.6                         | 0.0 | 5.1       | 0.9        | 88.4      | 82.1        | 78.6     | 76.5  | 81.4 | 1.83    | 2.20                           | 1.44    | 1.41  | 1.72 |         |
| 10                | 0            | 5.0                 | 0.8 | 0.7                     | 0.5          | 0.5         | 90.2        | 5.5                         | 0.8 | 3.0       | 0.5        | 83.2      | 78.7        | 74.0     | 73.5  | 77.3 | 3.32    | 3.74                           | 2.96    | 2.28  | 3.07 |         |
| 0                 | 0            | 4.6                 | 1.5 | 1.2                     | 4.3          | 3.7         | 91.4        | 3.5                         | 0.4 | 3.9       | 0.8        | 83.4      | 76.8        | 73.3     | 72.2  | 75.4 | 2.80    | 3.00                           | 2.18    | 1.74  | 2.43 |         |

TABLE 20-4D-VI. Duncan Range Test and Range Groups

| Range | En-try | Eggs Per Pullet Housed | Duncan Test | Range | En-try | % Production After 50% | Duncan Test | Range | En-try | Feed Per Lb. of Eggs | Duncan Test | Range | En-try | Days Lost to Mortality | Duncan Test |
|-------|--------|------------------------|-------------|-------|--------|------------------------|-------------|-------|--------|----------------------|-------------|-------|--------|------------------------|-------------|
| 1     | 4      | 269.8                  |             | 1     | 8      | 80.7                   |             | 1     | 8      | 2.26                 |             | 1     | 3      | 4.8                    |             |
| 1     | 8      | 263.4                  |             | 1     | 7      | 80.3                   |             | 1     | 4      | 2.31                 |             | 1     | 9      | 5.4                    |             |
| 2     | 7      | 258.9                  |             | 1     | 4      | 79.8                   |             | 1     | 2      | 2.31                 |             | 1     | 4      | 7.7                    |             |
| 2     | 3      | 257.1                  |             | 2     | 3      | 78.5                   |             | 1     | 6      | 2.31                 |             | 2     | 2      | 8.2                    |             |
| 2     | 10     | 255.9                  |             | 2     | 9      | 78.3                   |             | 1     | 7      | 2.32                 |             | 2     | 8      | 8.3                    |             |
| 2     | 2      | 253.4                  |             | Mean  |        | 77.7                   |             | Mean  |        | 2.39                 |             | 2     | 1      | 8.4                    |             |
| Mean  |        | 251.6                  |             | 3     | 10     | 77.0                   |             | 3     | 10     | 2.40                 |             | 2     | 10     | 8.5                    |             |
| 3     | 9      | 245.4                  |             | 3     | 2      | 76.4                   |             | 3     | 1      | 2.45                 |             | 2     | 5      | 9.6                    |             |
| 3     | 1      | 244.5                  |             | 3     | 6      | 76.3                   |             | 3     | 5      | 2.45                 |             | Mean  |        | 11.0                   |             |
| 3     | 5      | 244.2                  |             | 4     | 1      | 75.8                   |             | 3     | 3      | 2.45                 |             | 3     | 7      | 11.7                   |             |
| 4     | 6      | 223.5                  |             | 4     | 5      | 74.5                   |             | 4     | 9      | 2.62                 |             | 4     | 6      | 36.9                   |             |

## THE 24TH CENTRAL CANADA EGG PRODUCTION TEST

The 24th Central Egg Production Test stock was hatched on April 27, 1978, and terminated on August 28, 1979. The birds on test represented commercial stocks from one Canadian, five United States, one European breeder and a control stock from the Research Branch, Agriculture Canada. There were also three experimental stocks entered in the test.

The test began by selecting a random sample of 1,440 eggs from commercial breeding flocks and hatching these at the Central Test Station, Ottawa. A maximum of 528 pullet chicks per entry were selected at random and these constituted the test birds. Eight replicates of 66 birds each, were housed and brooded in cages. The records given in this report are the average performance of the eight cage replicates; four replicates housed at 2 birds per cage and four at four birds per cage. All cages allowed 62 square inches of floor area per bird.

All birds were fed commercial starter ration to 8 weeks of age, grower ration to 20 weeks of age, and layer crumbles from 20 weeks on.

All stocks were grown in cages and received the same care and management during the growing period. All birds that died were sent to the Animal Diseases Research Institute in Ottawa for diagnosis on the major cause of death. Any chick mortality occurring during the first week of the test was not charged against the entry.

All entries were vaccinated with a Marek's vaccine at day old; a combined Newcastle (B1) and modified Bronchitis vaccine at 10 days of age; an Avian Encephalomyelitis vaccine at eight weeks of age; a booster Bronchitis vaccine at 12 weeks of age; an Avian Encephalomyelitis vaccine at 15 weeks of age; a booster Newcastle (Lasota) vaccine at 19 weeks of age.

The birds were debeaked and dubbed at 7 days of age. The birds were housed 141 days of age and all records on a per pen housed basis started at that time.

The record on income is referred to as net revenue but is a record of income over feed and chick cost. The income is egg receipts and carcass value of the hens finishing the test; the costs include only that of the pullet chicks and of the feed consumed throughout the test. All other costs such as litter, vaccines, depreciation, labour, etc., are not included.

The feed prices used to calculate feed costs were: starter 8.81¢; grower 8.33¢; layer 9.47¢ per pound. Each shipment of feed used at the station was analyzed for protein, fat, fibre, calcium and phosphorous. The average of these nutrients was:

| <u>Control</u> | <u>Protein</u> | <u>Fat</u> | <u>Fibre</u> | <u>Calcium</u> | <u>Phosphorous</u> |
|----------------|----------------|------------|--------------|----------------|--------------------|
| Starter        | 16.5           | 3.3        | 3.8          | 1.5            | 0.64               |
| Grower         | 15.7           | 3.0        | 3.4          | 0.78           | 0.64               |
| Lay Crumbles   | 17.7           | 2.9        | 3.3          | 3.8            | 0.74               |

Meat value of the fowl at the end of the test was \$0.12 per pound.

The records of this test have been compiled through a computer process that has accumulated weekly records into 28-day periods and ultimately the total test period. Egg revenue was calculated weekly based on a two-year average price at Vancouver, Winnipeg, Toronto and Montreal markets. Feed prices were current prices paid for feed delivered Ottawa in 25 kilogram bags.

### Glossary of Terms

Body weight - an average of each entry's individual bird weights at the completion of the test for market body weight.

Blood spots - large spots are those 1/8" or more in diameter; small spots are those less than 1/8". Observations taken quarterly on 200 eggs per entry.

Egg Weight - (1) ounces per dozen - average weight of mass weighing a maximum of 480 eggs per entry each week; (2) percentage of various grade sizes - average size for the test period of a weekly sample of a maximum of 480 eggs per entry.

Feed efficiency - (1) the pounds of feed required to produce one dozen eggs; (2) calculated feed required to produce one pound of egg based on feed consumed and egg size as calculated under Egg Weight - (1) above.

Haugh Units - measurement of albumen strength. High Haugh units indicate good albumen quality. Measurements taken during the 6th, 22nd, 38th and 50th week of production on 200 eggs per entry after 2 days storage.

Hen-day - one hen-day is allocated for every day each hen lives after the entry reaches sexual maturity.

Hen-day production - total eggs laid divided by total hen days and expressed as a percentage.

I.O.F. & C.C. - income over feed and chick cost and based on number of hens housed.

Meat spots - large spots are those 1/8" or more in diameter; small spots are those less than 1/8". Observations taken quarterly on 200 eggs per entry.

Mortality - (1) 8 days to 491 days - entire test mortality.  
(2) Laying house-deaths after 141 days of age.

Net revenue - revenue from eggs and meat reduced by chick cost and cost of feed consumed throughout the entire test period and based on number of hens housed.

Persistency of lay - means % hen-day production during last 8 weeks of test.

Pullet chick cost - A standard chick price was used for all entries.

Quartile - entries divided into four groups. Group 1 has the best records; e.g., highest egg production and lowest mortality, and group 4 has the poorest records, e.g., lowest egg production and highest mortality. Quartile 1 and 2 are above the test average; quartile 3 and 4 are below the test average. Division of quartile 1 and 2 is point midway between test average and record of best entry; division of quartile 3 and 4 is point midway between test average and record of poorest entry.

Rank - numerical ranking of the 9 entries.

Sexual maturity - age of the entry on the first day of two consecutive days when rate of lay in the pen is at least 50%.

Shell score - indicates shell strength as measured by specific gravity records. The higher the score, the thicker the egg shell. Measurements taken during the 6th, 22nd, 38th and 50th week of production on 200 eggs per entry.

### Explanation of Causes of Mortality

#### 1. Avian Leukosis Complex:

- a. Marek's disease: (1) All birds with lymphoid neoplasms dying through 150 days of age. (2) All birds with lymphoid neoplasms and gross neural or ocular involvement dying at any age.

- b. Lymphoid Leukosis: All birds dying after 150 days of age with a lymphoid neoplasm(s) one of which must be located in the bursa of Fabricius, and no gross nerve involvement.
  - c. Other Neoplasms: Myeloblastosis, myelocytomatosis, erythroblastosis fibrosarcome, endothelioma, nephroblastoma, osteopetrosis, and hemangioma.
- 2. Tumors and cysts not of the avian leukosis complex: (leiomyoma, carcinomata).
  - 3. Hemorrhages:
  - 4. Respiratory diseases: including viral, bacterial (CRD) and aspergillosis.
  - 5. Reproductive disorders: include abdominal ovulation, prolapse, egg peritonitis, non-specific peritonitis associated with the reproductive tract.
  - 6. Kidney disorders: includes nephritis, visceral and renal gout, and bluecomb.
  - 7. Cannibalism:
  - 8. Miscellaneous conditions: Round worms, cecal worms, etc.
  - 9. No visible lesions:



# ENTRANTS IN THE TWENTY-FOURTH CENTRAL EGG PRODUCTION TEST

| NAME   | TYPE OF ENTRY           | COMMERCIAL NAME         |
|--|-------------------------|-------------------------|
| Shaver Poultry<br>Breeding Farm Ltd.<br>P. O. Box 400<br>Cambridge, Ontario<br>N1R 5V9         | Strain Cross W.L.       | Shaver Starcross<br>288 |
| Euribred B.V.<br>Pilch Inc.<br>P. O. Box 439<br>Troutman N.C.<br>U. S. A. 28166                | Strain Cross W.L.       | hisex White             |
| Animal Research Inst.<br>C.E.F.<br>Ottawa, Ontario<br>K1A 0C6                                  | Random Bred<br>S.C.W.L. | Kentville Control       |
| W. L. Tatum Inc.<br>Route 3<br>Dawsonville,<br>Georgia<br>U. S. A. 30534                       | Strain Cross W.L.       | Tatum - T100            |
| Heisdorf & Nelson<br>Farms Inc.<br>P. O. Box 426<br>Redmond, Washington D.C.<br>U. S. A. 98052 | Strain Cross W.L.       | H & N p.g./one          |
| Dekalb Ag. Research Inc.<br>Sycamore Road<br>Dekalb, Illinois<br>U. S. A. 60115                | Strain Cross W.L.       | Dekalb XL-Link          |
| Hubbard Farm Inc.<br>Walpole, New Hampshire<br>U. S. A. 03608                                  | Strain Cross W.L.       | Hubbard Leghorn         |
| Babcock Poultry Farms<br>Inc.<br>P. O. Box 280<br>Ithaca, New York<br>U. S. A. 14850           | Strain Cross W.L.       | Babcock 300V            |

TABLE 1

| Breeder                   | % Mortality<br>Laying<br>House | % Mortality<br>7 days-<br>491 days | Egg Prod.<br>Per hen<br>housed | % Hen<br>day pro-<br>duction | Persis-<br>tency<br>of lay<br>% | Pounds<br>of feed<br>per doz.<br>egg | Cal.lbs.<br>of feed<br>per lb.<br>of egg | Market<br>body<br>weight | Av. Egg<br>weight<br>per doz. | % Extra<br>large &<br>lg. size<br>eggs | Income over<br>Feed & chick<br>cost per hen<br>housed |
|---------------------------|--------------------------------|------------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------------|--|--------------------------|-------------------------------|--|---|
| Hisex White               | 13.6                           | 14.5                               | 241.2                          | 73.1                         | 58.6                            | 4.26                                 | 2.82                                     | 4.0                      | 24.2                          | 51.0                                   | 3.18  |
| Hubbard W.L.              | 7.0                            | 8.3                                | 253.1                          | 76.2                         | 65.1                            | 4.20                                 | 2.70                                     | 4.2                      | 24.9                          | 63.2                                   | 3.93  |
| Shaver Star-<br>cross 288 | 11.7                           | 15.0                               | 241.5                          | 75.4                         | 61.9                            | 4.10                                 | 2.59                                     | 4.3                      | 25.3                          | 66.5                                   | 4.11  |
| Tatum T-100               | 11.2                           | 12.5                               | 225.7                          | 69.8                         | 55.1                            | 4.45                                 | 2.89                                     | 4.3                      | 24.6                          | 56.2                                   | 2.80  |
| A.R.I.                    | 13.1                           | 17.1                               | 182.9                          | 58.2                         | 40.6                            | 5.00                                 | 3.46                                     | 4.2                      | 23.1                          | 35.9                                   | 0.40  |
| DeKalb XL-<br>Link        | 7.0                            | 8.0                                | 251.0                          | 75.9                         | 62.1                            | 4.02                                 | 2.64                                     | 4.2                      | 24.3                          | 52.8                                   | 4.16  |
| H&N p.g./one              | 8.5                            | 10.9                               | 240.6                          | 73.0                         | 58.4                            | 4.06                                 | 2.70                                     | 3.8                      | 24.1                          | 47.4                                   | 3.71  |
| Babcock<br>B300V          | 11.4                           | 13.0                               | 238.3                          | 72.6                         | 57.7                            | 4.01                                 | 2.63                                     | 4.0                      | 24.4                          | 56.1                                   | 3.97  |
| TEST AVERAGE              | 10.4                           | 12.4                               | 234.3                          | 71.8                         | 57.4                            | 4.26                                 | 2.80                                     | 4.1                      | 24.4                          | 53.6                                   | 3.28  |
| Shaver Exp.               | 20.9                           | 23.6                               | 227.4                          | 74.6                         | 62.4                            | 4.14                                 | 2.64                                     | 4.3                      | 25.1                          | 64.9                                   | 3.79  |
| Hubbard Exp.              | 8.7                            | 10.1                               | 244.5                          | 75.3                         | 62.7.                           | 4.27                                 | 2.74                                     | 4.3                      | 25.0                          | 63.1                                   | 3.71  |
| Babcock Exp.              | 8.8                            | 9.9                                | 246.0                          | 75.7                         | 66.1                            | 4.11                                 | 2.63                                     | 4.1                      | 25.0                          | 64.4                                   | 4.35  |

TABLE 2

| Breeder              | Shell Score | Haugh Units | Blood % Large | Spots % Small | Meat % Large | Spots % Small | Egg Size      |         |          |         |          | Ounces per dozen |
|----------------------|-------------|-------------|---------------|---------------|--------------|---------------|---------------|---------|----------|---------|----------|------------------|
|                      |             |             |               |               |              |               | % Extra Large | % Large | % Medium | % Small | % Peewee |                  |
| Cage Test            |             |             |               |               |              |               |               |         |          |         |          |                  |
| Shaver 579           | 2.04        | 80.1        | .3            | 6.9           | 1.2          | 13.2          | 55.1          | 36.2    | 7.8      | .9      | -        | 27.5             |
| Babcock B380         | 2.16        | 79.2        | .9            | 5.7           | 1.8          | 15.0          | 46.2          | 39.2    | 12.5     | 2.0     | .1       | 27.0             |
| Nelson 264           | 3.09        | 77.4        | 2.1           | 9.3           | 3.0          | 21.9          | 24.8          | 45.4    | 23.5     | 6.0     | .3       | 25.6             |
| Hubbard Golden Comet | 2.88        | 79.5        | .6            | 9.0           | 6.3          | 22.5          | 32.0          | 44.6    | 18.6     | 4.5     | .3       | 26.0             |
| Tatum T-173          | 2.70        | 77.7        | .9            | 8.1           | 3.6          | 17.4          | 32.2          | 41.8    | 20.7     | 5.0     | .3       | 26.0             |
| DeKalb Amber Link    | 2.04        | 83.1        | .9            | 8.7           | 3.6          | 11.1          | 37.9          | 47.0    | 13.2     | 1.8     | .1       | 26.6             |
| Test Average         | 2.49        | 79.5        | 1.0           | 8.0           | 3.3          | 16.9          | 38.0          | 42.3    | 16.1     | 3.4     | .2       | 26.5             |
| Shaver Exp.          | 2.10        | 79.2        | 1.8           | 9.0           | 3.0          | 13.8          | 43.0          | 43.2    | 11.9     | 1.8     | .1       | 26.8             |
| Floor Test           |             |             |               |               |              |               |               |         |          |         |          |                  |
| Shaver 579           | 2.07        | 77.4        | -             | 5.4           | .9           | 8.4           | 47.5          | 42.1    | 8.9      | 1.3     | .2       | 27.2             |
| Babcock B380         | 2.28        | 75.9        | -             | 2.4           | .6           | 6.6           | 44.5          | 41.3    | 11.9     | 2.2     | .1       | 26.9             |
| Nelson 264           | 2.64        | 72.6        | -             | 6.9           | 6.0          | 21.0          | 22.0          | 42.7    | 26.3     | 8.5     | .5       | 25.2             |
| Hubbard Golden Comet | 2.97        | 75.3        | .9            | 5.4           | 3.6          | 15.6          | 33.2          | 43.1    | 19.4     | 4.0     | .3       | 26.1             |
| Tatum T-173          | 2.49        | 76.2        | -             | 3.9           | 2.4          | 11.4          | 28.1          | 42.9    | 23.5     | 5.3     | .2       | 25.8             |
| DeKalb Amber Link    | 2.16        | 78.6        | .6            | 3.6           | 2.1          | 15.6          | 37.0          | 45.1    | 15.1     | 2.6     | .2       | 26.4             |
| Test Average         | 2.44        | 76.0        | .2            | 4.6           | 2.6          | 13.1          | 35.4          | 42.8    | 17.5     | 4.0     | .3       | 26.3             |
| Shaver Exp.          | 1.95        | 76.2        | .9            | 6.0           | 2.4          | 15.6          | 28.8          | 48.1    | 20.3     | 2.5     | .1       | 26.0             |

TABLE 3

| Breeder           | Pullet<br>Chick<br>cost<br>(\$) | Pullet<br>rearing<br>cost<br>(feed) | Chick &<br>feed cost<br>per bird<br>housed | Laying<br>mash cost<br>per hen<br>housed | Egg<br>revenue<br>per hen<br>housed | Carcass<br>value<br>per hen<br>(\$) | I.O.F. &<br>C.C. per<br>hen<br>housed | Sexual<br>Maturity<br>(days) |
|-------------------|---------------------------------|-------------------------------------|--|--|-------------------------------------|-------------------------------------|---------------------------------------|------------------------------|
| Cage Test         |                                 |                                     |  |  |                                     |                                     |                                       |                              |
| Shaver 579        | .35                             | 1.36                                | 1.71                                       | 9.39                                     | 13.50                               | .725                                | 3.04                                  | 179                          |
| Babcock B380      | .35                             | 1.41                                | 1.76                                       | 9.52                                     | 13.90                               | .660                                | 3.20                                  | 166                          |
| Nelson 264        | .35                             | 1.30                                | 1.65                                       | 8.57                                     | 9.68                                | .661                                | .03                                   | 169                          |
| Hubbard Comet     | .35                             | 1.34                                | 1.69                                       | 9.27                                     | 13.40                               | .614                                | 2.97                                  | 169                          |
| Tatum T-173       | .35                             | 1.31                                | 1.66                                       | 8.97                                     | 12.17                               | .640                                | 2.08                                  | 170                          |
| DeKalb Amber Link | .35                             | 1.33                                | 1.68                                       | 9.34                                     | 12.93                               | .718                                | 2.55                                  | 186                          |
| Test Average      | .35                             | 1.34                                | 1.69                                       | 9.18                                     | 12.60                               | .670                                | 2.31                                  | 173                          |
| Shaver Exp.       | .35                             | 1.37                                | 1.72                                       | 7.71                                     | 13.80                               | .717                                | 2.61                                  | 174                          |
| Floor Test        |                                 |                                     |  |  |                                     |                                     |                                       |                              |
| Shaver 579        | .35                             | 1.36                                | 1.71                                       | 9.17                                     | 14.69                               | .614                                | 4.36                                  | 172                          |
| Babcock B380      | .35                             | 1.41                                | 1.76                                       | 9.03                                     | 14.14                               | .571                                | 3.85                                  | 165                          |
| Nelson 264        | .35                             | 1.30                                | 1.65                                       | 8.45                                     | 12.31                               | .600                                | 2.76                                  | 162                          |
| Hubbard Comet     | .35                             | 1.34                                | 1.69                                       | 8.50                                     | 13.44                               | .560                                | 3.75                                  | 167                          |
| Tatum T-173       | .35                             | 1.31                                | 1.66                                       | 8.85                                     | 13.44                               | .574                                | 3.44                                  | 168                          |
| DeKalb Amber Link | .35                             | 1.33                                | 1.68                                       | 9.54                                     | 14.72                               | .637                                | 4.08                                  | 178                          |
| Test Average      | .35                             | 1.34                                | 1.69                                       | 8.92                                     | 13.79                               | .592                                | 3.71                                  | 169                          |
| Shaver Exp.       | .35                             | 1.37                                | 1.72                                       | 9.07                                     | 15.03                               | .583                                | 4.76                                  | 165                          |

TABLE 4

| Breeder               | INDIVIDUAL RESULTS |                    |                   |                       |             |           | RANK             |                 |                 | QUARTILE    |           |                  |                 |                 |             |
|-----------------------|--------------------|--------------------|-------------------|-----------------------|-------------|-----------|------------------|-----------------|-----------------|-------------|-----------|------------------|-----------------|-----------------|-------------|
|                       | Egg Prod.          | Total test mort. % | Egg size L & XL % | Feed efficiency (lbs) | Net revenue | Egg prod. | total test mort. | Egg size L & XL | Feed efficiency | Net revenue | Egg prod. | Total test mort. | Egg size L & XL | Feed efficiency | Net revenue |
| Hisex White           | 241.2              | 13.6               | 51.0              | 2.82                  | 3.18        | 6         | 9                | 9               | 9               | 9           | 1         | 2                | 3               | 2               | 2           |
| Hubbard W.L.          | 253.1              | 7.0                | 63.2              | 2.70                  | 3.93        | 1         | 1                | 4               | 6               | 5           | 1         | 1                | 1               | 1               | 1           |
| Shaver Star-cross 288 | 241.5              | 11.7               | 66.5              | 2.59                  | 4.11        | 5         | 8                | 1               | 1               | 3           | 1         | 2                | 1               | 1               | 1           |
| Tatum T-100           | 225.7              | 11.2               | 56.2              | 2.89                  | 2.80        | 10        | 6                | 6               | 10              | 10          | 2         | 2                | 2               | 2               | 2           |
| Kentville Control     | 182.9              | 13.1               | 35.9              | 3.46                  | .40         | 11        | 10               | 11              | 11              | 11          | 4         | 2                | 4               | 4               | 4           |
| DeKalb XL Link        | 251.0              | 7.0                | 52.8              | 2.64                  | 4.16        | 2         | 1                | 8               | 4               | 2           | 1         | 1                | 2               | 1               | 1           |
| H&N p.g./one          | 240.6              | 8.5                | 47.4              | 2.70                  | 3.71        | 7         | 3                | 10              | 6               | 7           | 1         | 1                | 3               | 1               | 1           |
| Babcock B300V         | 238.3              | 11.4               | 56.1              | 2.63                  | 3.97        | 8         | 7                | 7               | 2               | 4           | 1         | 2                | 2               | 1               | 1           |
| TEST AVERAGE          | 234.3              | 10.4               | 53.6              | 2.80                  | 3.28        |           |                  |                 |                 |             |           |                  |                 |                 |             |
| Shaver Exp.           | 227.4              | 20.9               | 64.9              | 2.64                  | 3.79        | 9         | 11               | 2               | 4               | 6           | 2         | 4                | 1               | 1               | 1           |
| Hubbard Exp.          | 244.5              | 8.7                | 63.1              | 2.74                  | 3.71        | 4         | 4                | 5               | 8               | 7           | 1         | 1                | 1               | 1               | 1           |
| Babcock Exp.          | 246.0              | 8.8                | 64.4              | 2.63                  | 4.35        | 3         | 5                | 3               | 2               | 1           | 1         | 1                | 1               | 1               | 1           |



TABLE 5 - Causes of Mortality 141 - 490 days inclusive

| Breeder                        | Avian<br>Leukosis<br>complex<br>Marek's | Repro-<br>ductive<br>disorder | Liver-<br>kidney<br>disorder | Tumors<br>and<br>cysts | Canni-<br>balism | Hemorr-<br>hage | Respir-<br>atory<br>diseases | Injury | Others | No<br>diag-<br>nosis |
|--------------------------------|---|-------------------------------|------------------------------|------------------------|------------------|-----------------|------------------------------|--------|--------|----------------------|
| Hisex White                    | 3                                       | 18                            | 6                            | -                      | 10               | 1               | -                            | 4      | 21     | 6                    |
| Hubbard W.L.                   | 1                                       | 6                             | 5                            | -                      | 6                | 2               | 1                            | 1      | 8      | 5                    |
| Shaver<br>Starcross 288        | 15                                      | 12                            | 1                            | -                      | 13               | 1               | -                            | 3      | 10     | 3                    |
| Tatum T-100                    | 2                                       | 2                             | 10                           | -                      | 7                | 1               | 1                            | -      | 8      | 5                    |
| A.R.I. Kentville<br>Control    | 12                                      | 6                             | 7                            | 2                      | 5                | 1               | 2                            | -      | 23     | 5                    |
| DeKalb XL-Link                 | 11                                      | 6                             | 3                            | -                      | 4                | 1               | -                            | 1      | 4      | 5                    |
| H&N p.g./one                   | 9                                       | 6                             | 4                            | -                      | 4                | 1               | 2                            | -      | 11     | 6                    |
| Babcock B300V                  | 15                                      | 2                             | 8                            | 1                      | 2                | 3               | -                            | 2      | 17     | 4                    |
| TEST AVERAGE<br>% of Mortality | 21                                      | 17.2                          | 8.9                          | 1.2                    | 14.0             | 2.4             | 1.7                          | 2.0    | 22.9   | 8.7                  |
| Shaver Exp.                    | 50                                      | 16                            | 5                            | 2                      | 11               | 2               | -                            | -      | 13     | 3                    |
| Hubbard Exp.                   | 2                                       | 14                            | 3                            | -                      | 10               | 1               | -                            | -      | 10     | 4                    |
| Babcock Exp.                   | 3                                       | 13                            | -                            | 2                      | 10               | -               | 4                            | 1      | 10     | 5                    |

## FIRST CENTRAL CANADA BROWN EGG TEST

The First Test was hatched on May 23, 1978, and terminated on September 25, 1979. The birds in the test represented commercial stocks from three Canadian and four American breeders. One Canadian stock was entered as an experimental stock.

The test began by selecting a random sample of 1,260 eggs from entrants hatchery supply flocks. The eggs were shipped to Ottawa and hatched together at the Central Test Station. A maximum of 472 pullet chicks per entry were selected at random and placed on litter under hot water brooders. No coccidostat was used during the growing period. At 141 days of age the pullets were housed in the laying house. Two replicates of 70 birds of each strain were housed in floor pens. Six replicates of 51 birds of each strain were housed in cages (16" x 16") at the rate of 3 birds per cage. The test terminated when the birds were 490 days of age. Two sets of results are published for your information:

- (1) Birds reared in cages, and;
- (2) Birds reared on litter (BIF).

No attempt has been made to combine the results of the two tests.

TABLE 1

| Breeder          | % Mortality<br>Laying<br>House | 7 days-<br>491 days | Egg Prod.<br>Per hen<br>housed | % Hen<br>day pro-<br>duction | Persis-<br>tency<br>of lay<br>% | Pounds<br>of feed<br>per doz.<br>egg | Cal.lbs.<br>of feed<br>per lb.<br>of egg | Market<br>body<br>weight | Av. Egg<br>weight<br>per doz. | % Extra<br>Large &<br>lg. size<br>eggs | Income over<br>Feed & chick<br>cost per hen<br>housed |
|------------------|--------------------------------|---------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------------|--|--------------------------|-------------------------------|--|---|
| Cage Test        |                                |                     |                                |                              |                                 |                                      |  |                          |                               |  |   |
| Shaver 579       | 5.3                            | 6.4                 | 228.2                          | 67.0                         | 59.2                            | 5.17                                 | 3.01                                     | 6.0                      | 27.5                          | 91.1                                   | 3.04  |
| Babcock B380     | 8.5                            | 8.7                 | 243.3                          | 72.0                         | 64.1                            | 4.93                                 | 2.92                                     | 5.5                      | 27.0                          | 85.3                                   | 3.20  |
| Nelson 264       | 9.5                            | 9.9                 | 170.2                          | 50.7                         | 39.0                            | 6.37                                 | 3.99                                     | 5.5                      | 25.6                          | 70.0                                   | .03   |
| Hubbard<br>Comet | 16.4                           | 17.3                | 232.2                          | 71.8                         | 60.6                            | 5.02                                 | 3.09                                     | 5.1                      | 26.0                          | 76.5                                   | 2.97  |
| Tatum T-173      | 180.0                          | 18.2                | 213.4                          | 66.7                         | 52.9                            | 5.32                                 | 3.27                                     | 5.3                      | 26.0                          | 74.0                                   | 2.08  |
| DeKalb Amber     |                                |                     |                                |                              |                                 |                                      |  |                          |                               |  |   |
| Link             | 12.1                           | 12.3                | 222.3                          | 67.0                         | 61.5                            | 5.29                                 | 3.18                                     | 6.0                      | 26.6                          | 84.8                                   | 2.55  |
| Test Average     | 11.6                           | 12.1                | 218.3                          | 65.9                         | 56.2                            | 5.35                                 | 3.24                                     | 5.6                      | 26.5                          | 80.3                                   | 2.31  |
| Shaver Exp.      | 6.0                            | 6.4                 | 226.6                          | 66.9                         | 54.4                            | 5.21                                 | 3.11                                     | 6.0                      | 26.8                          | 86.1                                   | 2.61  |
| Floor Test       |                                |                     |                                |                              |                                 |                                      |  |                          |                               |  |   |
| Shaver 579       | 2.1                            | 3.2                 | 250.5                          | 76.3                         | 63.7                            | 4.60                                 | 2.70                                     | 5.1                      | 27.2                          | 89.6                                   | 4.36  |
| Babcock B380     | 10.7                           | 10.9                | 245.4                          | 77.3                         | 66.2                            | 4.62                                 | 2.75                                     | 4.8                      | 26.9                          | 85.6                                   | 3.85  |
| Nelson 264       | 1.4                            | 1.8                 | 219.1                          | 64.4                         | 56.8                            | 4.85                                 | 3.07                                     | 5.0                      | 25.2                          | 64.6                                   | 2.76  |
| Hubbard<br>Comet | 15.7                           | 16.6                | 236.6                          | 76.3                         | 64.7                            | 4.51                                 | 2.76                                     | 4.7                      | 26.1                          | 76.2                                   | 3.75  |
| Tatum T-173      | 3.6                            | 3.8                 | 240.3                          | 72.5                         | 54.7                            | 4.63                                 | 2.87                                     | 4.7                      | 25.8                          | 70.8                                   | 3.44  |
| DeKalb Amber     |                                |                     |                                |                              |                                 |                                      |  |                          |                               |  |   |
| Link             | 5.0                            | 5.2                 | 255.5                          | 79.4                         | 66.3                            | 4.69                                 | 2.84                                     | 5.0                      | 26.4                          | 81.9                                   | 4.08  |
| Test Average     | 6.4                            | 6.9                 | 241.2                          | 74.4                         | 62.1                            | 4.65                                 | 2.83                                     | 4.9                      | 26.3                          | 78.1                                   | 3.71  |
| Shaver Exp.      | 3.6                            | 4.0                 | 259.6                          | 77.4                         | 67.0                            | 4.39                                 | 2.69                                     | 4.9                      | 26.0                          | 76.9                                   | 4.76  |

TABLE 2

| Breeder                   | Shell<br>Score | Haugh<br>Units | Blood<br>%<br>Large | Spots<br>%<br>Small | Meat<br>%<br>Large | Spots<br>%<br>Small | Egg Size            |            |             |            |             | Ounces<br>per<br>dozen |
|---------------------------|----------------|----------------|---------------------|---------------------|--------------------|---------------------|---------------------|------------|-------------|------------|-------------|------------------------|
|                           |                |                |                     |                     |                    |                     | %<br>Extra<br>Large | %<br>Large | %<br>Medium | %<br>Small | %<br>Peewee |                        |
| Hisex white               | 2.85           | 75.3           | 2.4                 | 3.0                 | 0                  | .3                  | 13.6                | 37.4       | 33.1        | 13.9       | 2.0         | 24.2                   |
| Hubbard W.L.              | 2.70           | 77.1           | 2.1                 | 5.1                 | 0                  | .6                  | 20.3                | 42.9       | 26.8        | 9.3        | 0.7         | 24.9                   |
| Shaver Star-<br>cross 288 | 2.76           | 77.1           | 1.5                 | 4.2                 | 0                  | .6                  | 24.3                | 42.3       | 24.8        | 8.0        | 0.6         | 25.3                   |
| Tatum T-100               | 2.37           | 77.1           | 2.4                 | 7.5                 | 0                  | .9                  | 17.9                | 38.2       | 29.5        | 13.1       | 1.3         | 24.6                   |
| Kentville<br>Control      | 2.79           | 74.4           | 3.9                 | 5.7                 | .3                 | .9                  | 6.1                 | 29.7       | 38.3        | 22.4       | 3.5         | 23.1                   |
| DeKalb XL<br>Link         | 2.70           | 77.1           | 1.2                 | 3.6                 | 0                  | .6                  | 13.5                | 39.3       | 34.9        | 11.3       | 1.0         | 24.3                   |
| H&N p.g./one              | 3.15           | 78.9           | 1.5                 | 3.9                 | 0                  | .6                  | 10.8                | 36.5       | 38.0        | 13.6       | 1.1         | 24.1                   |
| Babcock B300V             | 3.45           | 74.4           | 1.5                 | 2.4                 | 0                  | .6                  | 14.2                | 41.8       | 30.8        | 11.7       | 1.5         | 24.4                   |
| TEST AVERAGE              | 2.85           | 76.4           | 2.1                 | 4.2                 | 0                  | .6                  | 15.1                | 38.5       | 32.0        | 12.9       | 1.5         | 24.4                   |
| Shaver Exp.               | 2.73           | 77.1           | 1.5                 | 5.7                 | .3                 | .6                  | 19.4                | 45.5       | 27.0        | 7.6        | .5          | 25.1                   |
| Hubbard Exp.              | 2.61           | 76.5           | 3.0                 | 4.5                 | .3                 | 1.2                 | 19.7                | 43.5       | 26.7        | 9.2        | 0.9         | 25.0                   |
| Babcock Exp.              | 3.84           | 77.4           | .9                  | 3.3                 | .3                 | .9                  | 20.6                | 43.9       | 25.9        | 8.7        | 0.9         | 25.0                   |

TABLE 3

| Breeder                 | Pullet<br>Chick<br>cost<br>(\$) | Pullet<br>rearing<br>cost<br>(feed) | Chick &<br>feed cost<br>per bird<br>housed | Laying<br>mash cost<br>per hen<br>housed | Egg<br>revenue<br>per hen<br>housed | Carcass<br>value<br>per hen<br>(\$) | I.O.F. &<br>C.C. per<br>hen<br>housed | Sexual<br>Maturity<br>(days) |
|-------------------------|---------------------------------|-------------------------------------|--|--|-------------------------------------|-------------------------------------|---------------------------------------|------------------------------|
| Hisex                   | 0.35                            | 1.32                                | 1.67                                       | 8.10                                     | 12.53                               | .48                                 | 3.18                                  | 149                          |
| Hubbard W.L.            | 0.35                            | 1.30                                | 1.65                                       | 8.40                                     | 13.53                               | .51                                 | 3.93                                  | 161                          |
| Shaver<br>Starcross 288 | 0.35                            | 1.35                                | 1.70                                       | 7.80                                     | 13.17                               | .51                                 | 4.11                                  | 157                          |
| Tatum T-100             | 0.35                            | 1.25                                | 1.60                                       | 7.90                                     | 11.89                               | .52                                 | 2.80                                  | 164                          |
| Kentville Control       | 0.35                            | 1.38                                | 1.73                                       | 7.19                                     | 8.89                                | .50                                 | 0.40                                  | 168                          |
| DeKalb XL Link          | 0.35                            | 1.32                                | 1.67                                       | 7.94                                     | 13.34                               | .50                                 | 4.16                                  | 160                          |
| H&N p.g./one            | 0.35                            | 1.27                                | 1.62                                       | 7.68                                     | 12.63                               | .46                                 | 3.71                                  | 156                          |
| Babcock B300V           | 0.35                            | 1.38                                | 1.73                                       | 7.53                                     | 12.80                               | .48                                 | 3.97                                  | 154                          |
| TOTAL AVERAGE           | 0.35                            | 1.32                                | 1.67                                       | 7.82                                     | 12.35                               | .50                                 | 3.28                                  | 159                          |
| Shaver Exp.             | 0.35                            | 1.30                                | 1.65                                       | 7.39                                     | 12.41                               | .51                                 | 3.79                                  | 156                          |
| Hubbard Exp.            | 0.35                            | 1.32                                | 1.67                                       | 8.23                                     | 13.16                               | .52                                 | 3.71                                  | 162                          |
| Babcock Exp.            | 0.35                            | 1.28                                | 1.63                                       | 7.98                                     | 13.53                               | .49                                 | 4.35                                  | 160                          |



TABLE 4

| Breeder              | INDIVIDUAL RESULTS |                    |                   |                       |             | RANK      |                  |                 | QUARTILE        |                  |                 |                 |
|----------------------|--------------------|--------------------|-------------------|-----------------------|-------------|-----------|------------------|-----------------|-----------------|------------------|-----------------|-----------------|
|                      | Egg Prod.          | Total test mort. % | Egg size L & XL % | Feed efficiency (lbs) | Net revenue | Egg prod. | total test mort. | Egg size L & XL | Feed efficiency | Total test mort. | Egg size L & XL | Feed efficiency |
| Cage Test            |                    |                    |                   |                       |             |           |                  |                 |                 |                  |                 |                 |
| Shaver 579           | 228.2              | 5.3                | 91.1              | 3.01                  | 3.04        | 3         | 1                | 1               | 2               | 1                | 1               | 1               |
| Babcock B380         | 243.3              | 8.5                | 85.3              | 2.92                  | 3.20        | 1         | 3                | 3               | 1               | 1                | 2               | 1               |
| Nelson 264           | 170.2              | 9.5                | 70.0              | 3.99                  | .03         | 7         | 4                | 7               | 7               | 4                | 4               | 4               |
| Hubbard Golden Comet | 232.2              | 16.4               | 76.5              | 3.09                  | 2.97        | 2         | 6                | 5               | 3               | 1                | 3               | 1               |
| Tatum T-173          | 213.4              | 18.0               | 74.0              | 3.27                  | 2.08        | 6         | 7                | 6               | 6               | 2                | 4               | 2               |
| DeKalb Amber Link    | 222.3              | 12.1               | 84.8              | 3.18                  | 2.55        | 5         | 5                | 4               | 5               | 2                | 2               | 1               |
| Test Average         | 218.3              | 11.6               | 80.3              | 3.24                  | 2.31        |           |                  |                 |                 |                  |                 |                 |
| Shaver Exp.          | 226.6              | 6.0                | 86.1              | 3.11                  | 2.61        | 4         | 2                | 2               | 4               | 1                | 1               | 1               |
| Floor Test           |                    |                    |                   |                       |             |           |                  |                 |                 |                  |                 |                 |
| Shaver 579           | 250.5              | 2.1                | 89.6              | 2.70                  | 4.36        | 3         | 2                | 1               | 2               | 1                | 1               | 1               |
| Babcock B380         | 245.4              | 10.7               | 85.6              | 2.75                  | 3.85        | 4         | 6                | 2               | 3               | 2                | 1               | 2               |
| Nelson 264           | 219.1              | 1.4                | 64.6              | 3.07                  | 2.76        | 7         | 1                | 7               | 7               | 4                | 4               | 4               |
| Hubbard Golden Comet | 236.6              | 15.7               | 76.2              | 2.76                  | 3.75        | 6         | 7                | 5               | 4               | 3                | 3               | 1               |
| Tatum T-173          | 240.3              | 3.6                | 70.8              | 2.87                  | 3.44        | 5         | 3                | 6               | 6               | 2                | 4               | 2               |
| DeKalb Amber Link    | 255.5              | 5.0                | 81.9              | 2.84                  | 4.08        | 2         | 5                | 3               | 5               | 1                | 2               | 2               |
| Test Average         | 241.2              | 6.4                | 78.1              | 2.83                  | 3.71        |           |                  |                 |                 |                  |                 |                 |
| Shaver Exp.          | 259.6              | 3.6                | 76.9              | 2.69                  | 4.76        | 1         | 3                | 4               | 1               | 1                | 3               | 1               |

TABLE 5 - Causes of Mortality 140 - 490 days inclusive

| Breeder              | Avian<br>Leukosis<br>complex<br>Marek's | Repro-<br>ductive<br>disorder | Liver-<br>kidney<br>disorder | Tumors<br>and<br>cysts | Canni-<br>balism | Hemor-<br>rage | Respir-<br>atory<br>diseases | Injury | Coccid-<br>iosis | Others | No<br>diag-<br>nosis |
|----------------------|---|-------------------------------|------------------------------|------------------------|------------------|----------------|------------------------------|--------|------------------|--------|----------------------|
| Shaver 579           | -                                       | 4                             | 5                            | -                      | 6                | -              | -                            | -      | -                | -      | 4                    |
| Babcock B380         | -                                       | 5                             | 13                           | -                      | 12               | -              | -                            | -      | -                | 3      | 8                    |
| Nelson 264           | -                                       | 2                             | 14                           | -                      | 10               | -              | -                            | -      | -                | 4      | 1                    |
| Hubbard Comet        | -                                       | 8                             | 10                           | 1                      | 28               | -              | -                            | 1      | -                | 8      | 14                   |
| Tatum T-173          | 1                                       | 9                             | 13                           | -                      | 19               | 1              | -                            | 1      | -                | 3      | 10                   |
| DeKalb Amber<br>Link | -                                       | 6                             | 12                           | -                      | 14               | -              | -                            | 1      | -                | 1      | 10                   |
| Average (%)          | .4                                      | 13                            | 25.6                         | .4                     | 34               | .4             | -                            | 1.1    | -                | 7.2    | 17.9                 |
| Shaver Exp.          | -                                       | 4                             | 9                            | -                      | 5                | -              | -                            | 2      | -                | 1      | 1                    |
| Brown Egg Layer      |   |                               |                              |                        |                  |                |                              |        |                  |        |                      |



UNITED STATES DEPARTMENT OF AGRICULTURE

NATIONAL POULTRY IMPROVEMENT PLAN  
USDA - APHIS - VS  
BARC-EAST, BLDG. 265  
BELTSVILLE, MD 20705

POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF AGRICULTURE  
AGR-101



---

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300